

ANGELO PO GRANDI CUCINE s.p.a con socio unico Stabilimento, Amministrazione Sede Legale: s.s. Romana sud, 90. 41012 Carpi (MO) Italy P.O. BOX 340

Tel: 059 639411 - Telefax: 059 642499/059 693575 Email: angelopo@angelopo.it - Website: www.angelopo.it

CAP. SOC. 5.287.880 i.v.

CCIAA Modena N 31842 del 19/02/1996

R.E.A. N 253943 di Modena

Nr. Intracomunitario: IT 01932240367

P.IVA e CF 01932240367

Quality, Environmental and Health&Safety Management System Certified UNI EN ISO 9001 - ISO 14001 - BS OHSAS 18001









Certification n° CSQ 9190.ANPO - CSQ 9191.ANP2 - CSO 9192.ANP3



DEALER
BB COMPANY
11 SHANIDZE STREET, 0179 . TBILISI ()
Tel. 00995322984024 - Fax 0099532984024
Email info@bb-company.com
Web http://

Reference: "ORBI GINZA" LLC Identification Code: 445515675 Btumi Orbi Tower Ginza Restaurant



Document number: 51577 18/07/2018

Date: 18/07/2018

Made by: Shota Balavadze





Please, select a customer for this





Index

L31-01 01 deboxing area	
L31-02 02 - janitor	
L31-03.03 - storages	
L31-04 04 - veg. preparation	
L31-05 05 - meat/fish preparation	
L31-06 06 - bakery - pasrty	
L31-07.07 - WARM KITHEN 01	
L31-08.08 - WARM KITHEN 02	
L31-09 09 - COLD KITCEN	
L31-10.10 - POT WASH	
L31-11 11 - BEVERAGE SECTION	
L31-12 12 - GRILL SECTION	
L31-13 13 - DESSERT SECTION	
L31-14 14 - DISH WASH	
L32-01 01 - GRILL AREA	
L32-02 02 - BAR	
L32-03 03 - DISHWASH	
L32-04 04 - BANQUET PANTRY	
L32-05 05 - DISHWASH PANTRY	100
L32-06 06 - GRIDS	103
L33-01 01 - PANTRY	104
L33-02 02 - DISHWASH	107
L33-03 03 - GRIGLIATI	111
L34-01 01 - TERRACE PANTRY	112
L34-02 02 - DISH WASH	115
L34-03 03 - BAR	117
1.34-04.04 - GRIDS	110





Area L31-01 01 deboxing area

Area Position

Net Price 3.065,42

3.065,42

Quantity Amount €



Electronic platform scale capacity 150 kg

electronic bench platform scale provided of di161 platform scale with an hard contrast display lcd and a good degree of impermeableness with the possibility to work with a low voltage. platform in stainless steel, option complete finishing in stainless steel, internal battery power (15h) rechargeable, rs232 for connection to pc

Dimensions: 60x75x135 cm

Electric Power: 0,1 kW

Packing: 65x80x140 cm Net Weight: 140 kg Gross Weight: 150 kg

DT161_15

L31-02.

L31-0**1**.

CMX

582,08

Total Position 1: 3.065,42 €

582,08



SERVICE TROLLEY

made of 18-10 stainless steel with handle of tubular steel. four castors, two of which with brakes. complete with buffer. max transport capacity: 150 kg.



Dimensions: 100x60x80 cm Packing: 45x60x90 cm

Net Weight: 27 kg Gross Weight: 29 kg

Total Position 2: 582,08 €

L31-03.

M15LAN

Hose reel 15mt

hose reel, aisi 304 stainless steel rolling structure, swivel of 165°, to be fixed to the wall, locking system and automatic pipe rolling. max temperature range +60°c and max 8.5 bar. water flow at 300 kpa: 12 lt/min. opportunity of assembly and use in any area of the kitchen with the highest hygiene and small

footprint.

Dimensions: 15x52x55 cm Packing: 60x60x20 cm Net Weight: 21 kg Gross Weight: 23 kg

Total Position 3: 1.650,61 €

L31-04.

ELMG

394,83

1.650,61

394,83



WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED

aisi 304 stainless steel top, h = 40 mm, thickness 0.8 mm. pressed well made in aisi 304 stainless steel, 0.8 thickness, diametre 340, height 135mm. rear splashback h = 30 mm. supporting structure closed by stainless steel panels, thickness 0.8 mm. delivered with: button, timed water tap and siphon drain.endowed with mixing valve cold/hot.

Dimensions: 40x40x25 cm Packing: 50x41x40 cm Net Weight: 6 kg Gross Weight: 7 kg

Total Position 4: 394,83 €





Area L31-01 01 deboxing area

Area Position

Net Price

Quantity Amount €

L31-05.

ZE80

178,77

536,31



STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT.

apparecchio a griglia elettrica di nuova generazione.struttura in alluminio.neon sfalsati 2xtvx8-12 per una migliore emissione di luce;l'innovativa griglia elettrica crea una più ampia zona di cattura.rimozione dei neon senza utensili per manutenzione più rapida.massima flessibilità nel montaggio:installazione a parete,a sospensione o appoggio.conforme a normarohs e legislazione eu.copertura 40mq.

Dimensions: 51,4x26,2x13 cm

Packing: 55x30x16 cm Net Weight: 2,5 kg Gross Weight: 3,2 kg

Electric Power: 0,03 kW

Total Position 5: 536,31 €


L31-09.

06TA

563,73

563,73





Dimensions: 60x70x90 cm Packing: 64x72x23 cm Net Weight: 15 kg Gross Weight: 16 kg

Total Position 9: 563,73 €

L31-0300. VO3030

450,47

13

5.856,11

GRATE FLOOR DRAIN 30X30, HORIZ, OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h. removable stainless steel filter for all models.



Dimensions: 34,5x34,5x16 cm Packing: 36,5x36,5x18 cm

Net Weight: 6 kg Gross Weight: 6,3 kg

Total Position 300: 5.856,11 €

L31-0**3**02.

VCO30100

829,25

4.975,50



GRATE FLOOR DRAIN 30X100, HORIZ. OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h, removable stainless steel filter for all models, wastewater collection at centre.

Dimensions: 104,5x34,5x16 cm Packing: 106,5x36,5x18 cm Net Weight: 13,6 kg Gross Weight: 13,9 kg





Area Posit Total Position 302: 4.975,50 €

Total Area 01 deboxing area: 17.624,59 €





Area L31-02 02 - janitor		
Area Position	Net Price	Quantity Amount €
L31-0 2 . ELMCP	891,31	1 891,31

COMBINED HAND WASH BASIN WITH DRAINER

Total Position 7: 891,31 €

Total Area 02 - janitor: 891,31 €





Area L31-03 03 - storages

Area Position **Net Price** Quantity Amount € 6.607,25 6.607,25




N12043PB L31-0**3**0.

COLD ROOM THICKNESS PANEL 10 CM, INTERNAL HEIGHT 243 CM, plastified panels; thickness 10 cm; density 40kg / m³. door - useful opening cm 70x190h, hinged to the right and positioned on the longer side of the cold room. semi-recessed door, overhang 4 cm. round corner elements, both internally and externally. external handle with key and internal security release. with pedestrian non-slip floor. haccp certification.

Dimensions: 263x223x263 cm Packing: 245x125x110 cm Net Weight: 630 kg Gross Weight: 600 kg

L31-0**3**0.1 MDB914N

5.204,15 5.204,15





provided with condensing unit and evaporator, the structure is with valves: the maximum distance between remote unit and evaporator can surpass 10 mt. hermetic compressors, tropicalized 40°c ext temp, air condensation system.equipment: condenser fans pressure regulator; lighting kit for cold room; remote control panel w/ 10 mt of rope.piping not included. suitable for 13 cubic m cold room.

Dimensions: 82x42,7x39 cm Packing: 0x0x0 cm Net Weight: 78 kg

Electric Power: 0,75 kW

Gross Weight: 82 kg

L31-0**3**0.2 **MPC**

117,70 117,70

MICROSWITCH DOOR FOR COLD ROOM

microswitch kit for coldroom door. the fan will stop when the door is opened.



Dimensions: 0x0x0 cm Packing: 20x20x10 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 10: 11.929,10 €



N12043PB

6.607,25

6.607,25

COLD ROOM THICKNESS PANEL 10 CM, INTERNAL HEIGHT 243 CM, plastified panels; thickness 10 cm; density 40kg / m³. door - useful opening cm 70x190h, hinged to the right and positioned on the longer side of the cold room. semi-recessed door, overhang 4 cm. round corner elements, both internally and externally. external handle with key and internal security release. with pedestrian non-slip floor. haccp certification.

Dimensions: 263x223x263 cm Packing: 245x125x110 cm Net Weight: 630 kg Gross Weight: 600 kg

L31-031.





Area L31-03 03 - storages

Area Position

Net Price

Quantity Amount €





L31-0**3**1.1 MDB914N

5.204,15

5.204,15

Remote refr system 0/+5°C thermostatic valve

provided with condensing unit and evaporator, the structure is with valves: the maximum distance between remote unit and evaporator can surpass 10 mt. hermetic compressors, tropicalized 40°c ext temp, air condensation system.equipment: condenser fans pressure regulator; lighting kit for cold room; remote control panel w/ 10 mt of rope.piping not included. suitable for 13 cubic m cold room.

Dimensions: 82x42,7x39 cm

Electric Power: 0.75 kW

117,70

Packing: 0x0x0 cm Net Weight: 78 kg Gross Weight: 82 kg

MPC

L31-0**3**1.2

117,70



MICROSWITCH DOOR FOR COLD ROOM

microswitch kit for coldroom door, the fan will stop when the door is opened.

Dimensions: 0x0x0 cm Packing: 20x20x10 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 11: 11.929,10 €

L31-032.

N10043PB

6.259,50



6.259,50

COLD ROOM THICKNESS PANEL 10 CM, INTERNAL HEIGHT 243 CM, plastified panels; thickness 10 cm; density 40kg / m³. door - useful opening cm 70x190h, hinged to the right and positioned on the longer side of the cold room. semi-recessed door, overhang 4 cm. round corner elements, both internally and externally. external handle with key and internal security release. with pedestrian non-slip floor. haccp certification.

Dimensions: 223x223x263 cm Packing: 246x122x166 cm Net Weight: 570 kg Gross Weight: 600 kg

L31-0**3**2.1 **BDB1013B**

5.229,30

5.229,30





Remote refr system -18/-20° C thermostatic valve

provided with condensing unit and evaporator, the structure is with valves: the maximum distance between remote unit and evaporator can surpass 10 mt. hermetic compressors, tropicalized 40°c external tem, air condensation system.equipment: condenser fans pressure regulator; lighting kit for cold room; remote control panel w/ 10 mt of rope.piping not included. suitable for 11 cubic m cold room.

Dimensions: 82x42,7x39 cm Packing: 85x50x40 cm Net Weight: 88 kg Gross Weight: 92 kg

Electric Power: 1,5 kW





Area L31-03 03 - storages

Area Position

Net Price

Quantity Amount €

L31-032.2 MPC

117,70

117,70



MICROSWITCH DOOR FOR COLD ROOM

microswitch kit for coldroom door, the fan will stop when the door is opened.

Dimensions: 0x0x0 cm Packing: 20x20x10 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 12: 11.606,50 €

L31-033.

5K00020

682,66

2.047,98

1.829,70

507,18

TRAYHOLDER TROLLEY 18 TRAYS 2/1 GN

L31-034. SRCA124 **Total Position 13: 2.047,98 €**

SHELVING FOR COLD ROOM

shelf made with n.4 rack shelves in anodized aluminium (20 micron), n.2 uprights and elements for fixing.



Dimensions: 130,4x37,3x174 cm Packing: 130,4x37,3x70 cm

Net Weight: 20 kg Gross Weight: 25 kg

SRCA886

Total Position 14: 1.829,70 € 507,18

609,90



SHELVING FOR COLD ROOM

shelf made with n.4 rack shelves in anodized aluminium (20 micron), n.2 uprights and elements for fixing.

Dimensions: 95x37,3x174 cm Packing: 110x40x70 cm Net Weight: 25 kg Gross Weight: 30 kg

L31-035.





Area L31-03 03 - stor	ages					
	Area	Posit	ion	Net Price	Quanti	ty Amount €
	L31-	035.1	SRCA974 SHELVING FOR COLD ROOM shelf made with n.4 rack shelves in ar uprights and elements for fixing.	526,44 nodized alur	1 minium (2	526,44 20 micron), n.2
			Dimensions: 103,8x37,3x174 cm Packing: 95x40x140 cm Net Weight: 23 kg Gross Weight: 24 kg			
	L31-	035.3	SRCA150	677,31	1	677,31
			SHELVING FOR COLD ROOM shelf made with n.4 rack shelves in ar uprights and elements for fixing.	nodized alur	ninium (2	20 micron), n.2
h			Dimensions: 156,9x37,3x174 cm Packing: 155x40x70 cm Net Weight: 33 kg Gross Weight: 35 kg	Total Po	sition 1	5: 1.710,93 €
	L31-	 0 % 6	SRCA150	677,31	1	677,31
	LOT	ОФО .	SHELVING FOR COLD ROOM shelf made with n.4 rack shelves in ar uprights and elements for fixing.			
			Dimensions: 156,9x37,3x174 cm Packing: 155x40x70 cm Net Weight: 33 kg Gross Weight: 35 kg			
	L31-	0 3 6.1	SRCA886	507,18	1	507,18
			SHELVING FOR COLD ROOM shelf made with n.4 rack shelves in ar uprights and elements for fixing.	nodized alur	minium (2	20 micron), n.2
			Dimensions: 95x37,3x174 cm Packing: 110x40x70 cm Net Weight: 25 kg Gross Weight: 30 kg			

The products of this offer conform to the reference standards, where applicable. 51577 18/07/2018 Offer date 18/07/2018





Area L31-03 03 - storages

Area Position **Net Price** Quantity Amount €

L31-0**3**6.2 **SRCA974**

526,44

526,44





shelf made with n.4 rack shelves in anodized aluminium (20 micron), n.2 uprights and elements for fixing.

Dimensions: 103,8x37,3x174 cm

Packing: 95x40x140 cm Net Weight: 23 kg Gross Weight: 24 kg

Total Position 16: 1.710.93 €

L31-037. LSF51718 819,55 3.278,20

POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180



modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher, the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins,

etc..

Dimensions: 180x50x180 cm

Packing: 0x0x0 cm Net Weight: 43 kg Gross Weight: 46 kg

Total Position 17: 3.278,20 €

L31-038. **KRS360**

539,60

1.618,80

Dunnage rack, cap.683 kg, col. Beige



realized in only one piece of double layer polyethylene,. the dunnage racks are extremely resistant. they don't rust and are very easy to clean and let you make a very efficient organisation of your food, liquids and other staff, guarantee 30 height cm from the floor._x000d_

Dimensions: 91x56x30 cm Packing: 91x56x30 cm Net Weight: 7,5 kg

Total Position 18: 1.618,80 €

L31-0**3**9.

LSF51118

654,01

654,01



POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180

modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher, the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins, etc..

Dimensions: 120x50x180 cm

Packing: 0x0x0 cm Net Weight: 30 kg Gross Weight: 33 kg





Area Posit Total Position 19: 654,01 €

Total Area 03 - storages: 48.315,25 €





Area L31-04 04 - veg. preparation

Area Position **Net Price** Quantity Amount € 394,83 394,83

L31-0**3**0. **ELMG**

WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED

aisi 304 stainless steel top, h = 40 mm, thickness 0.8 mm. pressed well made in aisi 304 stainless steel, 0.8 thickness, diametre 340, height 135mm. rear splashback h = 30 mm. supporting structure closed by stainless steel panels, thickness 0.8 mm. delivered with: button, timed water tap and siphon drain.endowed with mixing valve cold/hot.

Dimensions: 40x40x25 cm Packing: 50x41x40 cm Net Weight: 6 kg Gross Weight: 7 kg

Total Position 30: 394,83 € L31-031. 609,90 **12TA** 609,90

TABLE WITH REAR SPLASHBACK 120 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed).

Dimensions: 120x70x90 cm Packing: 124x72x23 cm Net Weight: 40 kg Gross Weight: 42 kg

L31-031.0 **12RF** 138,03 138,03

UNDERSHELF 120 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.

Dimensions: 104,2x58,2x5 cm Packing: 112x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg

BSTER

Total Position 31: 747,93 €

WALL MOUNTED ULTRAVIOLET KNIFE STERILIZER


18-10 stainless steel wall mounted knife sterilizer. methacrylate door.equipped with timer, security micro-switch to turn off lamps with door opening. 2 lamps (15 watt) and magnet.

1.204,82

Electric Power: 0,03 kW Dimensions: 60x10x70 cm Packing: 77x67x30 cm

Net Weight: 10 kg Gross Weight: 11 kg

Total Position 32: 1.204,82 €



L31-032.

1.204,82





Area L31-04 04 - veg. preparation Area Position **Net Price** Quantity Amount € L31-033. **ARP1204** 177,62 355,24 Stainless steel AISI304 wall shelf, 120 cm height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with two rack supports. Dimensions: 120x40x5 cm Packing: 122x42x6 cm Net Weight: 6 kg Gross Weight: 6,3 kg Total Position 33: 355,24 € L31-034. 1.249,20 1.249,20 18L26D OPEN SINK 2 BOWLS CM 60X50X32.5H RIGHT DRAINER aisi304 stainless steel radiused, pressed top with satin finish and rear splashback. pressed bowl with a continuous weld bead to form a waterlight seal. open cupboard with front cover panel and aisi304 stainless steel tubular legs, 50 mm ø. Dimensions: 180x70x90 cm Packing: 185x75x50 cm Net Weight: 36 kg Gross Weight: 38 kg L31-034.0 CEG 195,22 195,22 HOT/COLD WATER MIXER TAP ELBOW OPERATED elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks. Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg L31-034.1 186,18 186,18 18RF UNDERSHELF 180 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.



Dimensions: 164,2x58,2x5 cm Packing: 172x63x6 cm Net Weight: 9 kg Gross Weight: 10 kg





Area L31-04 04 - veg. preparation

Area Position **Net Price** Quantity Amount €

L31-084.2 KSV325P

79,18

158,36



WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 32,5 cm

sink drainage kit including stainless steel overflow pipe, chromium-plated brass drain and plastic siphon. suitable for 32.5 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 34: 1.788,96 €

L31-035.

5K00164

254,81



MOBILE REFUSE BIN WITH PEDAL 100 LITERS

Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm Net Weight: 10 kg Gross Weight: 13 kg

Total Position 35: 254,81 €

L31-036.0 nd

0,00

204,37

0,00

recommended to buy locally . As alternative from APO that position will cost -1200€

L31-037. **ARP1404** Total Position 36: 0,00 €

204,37

Stainless steel AISI304 wall shelf, 140 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports.

Dimensions: 140x40x5 cm Packing: 142x42x6 cm Net Weight: 7 kg Gross Weight: 7,3 kg





bcompany°

- Btumi Orbi Tower Ginza Restaurant

	Area Posit		Total	Position	37:	204,37 €
	L31-0 3 8.	CL50UE	2.585,66	1	2.58	35,66
*		Bench vegetable/mozzarella cutter 300	0 meals			
		bench-type vegetable/mozzarella cutter. hopper and guides in die-cast aluminium,r has two feeders: the first half-moon shape the 2nd in cylindrical in shape.complete phased engine to slice, grate, cut in stick speed.	machine to the machine to the movable to the most with pestle	o facilitate voluminou to cut loi	clean is veg ng veg	sing,which etable and getable. 3-
		Dimensions: 35x32x59 cm Electr Packing: 40x40x60 cm Net Weight: 20,2 kg Gross Weight: 22,2 kg	ic Power: 0,6	6 kW		
	L31-0 3 8.0		140,12	1	140	,12
		slicing disc 2mm slicing disc 2mm				
		Dimensions: 20x20x5 cm Packing: 24x23,5x5,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg				
	L31-038.1		140,12	1	140	,12
		slicing disc 3mm slicing disc 3mm				
		Dimensions: 20x20x5 cm Packing: 24x23,5x5,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg				
	L31-038.2		132,89	1	132	,89
		Julienne disc 2mm julienne disc 2mm				

Dimensions: 20x20x5 cm

Packing: 24x23,5x5,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg

The products of this offer conform to the reference standards, where applicable. 51577 18/07/2018 Offer date 18/07/2018





	Area Posit	ion	Net Price	Quantit	y Amount €
					,
	L31-038.3	6028016	132,89	1	132,89
		DISK FOR JULIENNE 7 MM disk for julienne 7 mm			
En's of the second		Dimensions: 20x20x2 cm Packing: 24x23,5x2,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg			
	L31-0 3 8.4	6028061	132,89	1	132,89
Children Co. Tricks		Bread/cheese grater disc bread/cheese grater disc			
		Dimensions: 20x20x2 cm Packing: 24x23,5x2,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg			
	L31-038.5		362,57	1	362,57
		Kit slice disc and cubes grid 5x5x5mm kit slice disc and cubes grid 5x5x5mm			
* *		Dimensions: 29x29x29 cm Packing: 30x30x30 cm Net Weight: 8 kg Gross Weight: 10 kg			
	L31-0 3 8.6	SDCL	59,22	1	59,22
A COLOR		Support 6 discs(B) support 6 discs(b)			

support 6 discs(b)

Dimensions: 70x30x30 cm Packing: 75x35x35 cm Net Weight: 1 kg

Total Position 38: 3.686,36 €





Area L31-04 04 - veg. preparation

Area Position

Net Price

Quantity Amount €

L31-039.

XT70L

2.519,23

2.519,23



REFRIGERATOR -2°C ÷ +8°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber made of aisi 304 stainless steel, pressed formed internal sides, 20 levels. ventilated cooling system , evaporator positioned inside the refrigerating chamber. control panel with digital thermometer-thermostat. electric defrosting, each compartment is delivered as standard with: n. 3 plastic-coated grids.

Dimensions: 68,4x83,5x204 cm Packing: 73,5x85,5x213 cm

Electric Power: 0,43 kW

Net Weight: 115 kg Gross Weight: 130 kg

Total Position 39: 2.519,23 €

L31-040.

ARP1004

165,85

165,85



Stainless steel AISI304 wall shelf, 100 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports.

Dimensions: 100x40x5 cm Packing: 102x42x6 cm Net Weight: 5 kg Gross Weight: 5,2 kg

Total Position 40: 165,85 €

L31-0**4**1.

4986310

358,52

358,52



BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g

countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm

Total Position 41: 358,52 €

L31-042.

2074

461,73



Trayholder trolley 8 trays 2/1 GN cm. 6,5 h

trayholder trolley with aisi 304 18/10 stainless steel tube structure, section cm 2x2.¿ c anti-overturning " stainless steel sheet runners, space between each other cm 8,5.grey rubber bumpers at corners.swivel castors ø cm 12,5.capacity 8 trays 2 x 1/1 gn cm 6,5 h. stainless steel covering upper shelf.

Dimensions: 65x72x85 cm Packing: 83x15x88 cm Net Weight: 15 kg Gross Weight: 16 kg





	Area Posit		Total Position 42: 461,73 €
	L31-0 4 3.	08TA	566,03 1 566,03
		TABLE WITH REAR SPLASHBACK 8	80 CM
		aisi 304 stainless steel top 54 mm h w sound deadening waterproof panel und	
		splashback, integral with the worktop its sturdy structure of the work table guara	self, 8,5 cm high. the exceptionally
		kg/mq max (uniformly distributed).	intees suitability for loads up to 150
# I			
		Dimensions: 80x70x90 cm	
		Packing: 80x100x20 cm Net Weight: 28 kg	
		Gross Weight: 29 kg	
	L31-0 4 3.0	08RF	117,70 1 117,70
		UNDERSHELF 80 CM	
		18-10 stainless steel sheet undershelf omega. 180 mm clearance between floor a	
		omega. 100 mm clearance between noor a	and Shell.
		Dimensional CA 2VER 2VE om	
		Dimensions: 64,2x58,2x5 cm Packing: 72x63x6 cm	
		Net Weight: 8 kg	
		Gross Weight: 10 kg	Total Position 43: 683,73 €
	L31-0 4 4.0	ZE 80	176,55 1 176,55

STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT

Total Position 44: 176,55 €

Total Area 04 - veg. preparation: 13.002,93 €





Area L31-05 05 - meat/fish preparation

Area Position **Net Price** Quantity Amount €

L31-0**5**0. ELMG

394,83



WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED

aisi 304 stainless steel top, h = 40 mm, thickness 0.8 mm. pressed well made in aisi 304 stainless steel, 0.8 thickness, diametre 340, height 135mm. rear splashback h = 30 mm. supporting structure closed by stainless steel panels, thickness 0.8 mm. delivered with: button, timed water tap and siphon drain.endowed with mixing valve cold/hot.

394,83

Dimensions: 40x40x25 cm Packing: 50x41x40 cm Net Weight: 6 kg Gross Weight: 7 kg

Total Position 50: 394,83 €

L31-0**5**1.

2074

461,73 461,73

Trayholder trolley 8 trays 2/1 GN cm. 6,5 h

trayholder trolley with aisi 304 18/10 stainless steel tube structure, section cm 2x2.¿ c anti-overturning " stainless steel sheet runners, space between each other cm 8,5.grey rubber bumpers at corners.swivel castors ø cm 12,5.capacity 8 trays 2 x 1/1 gn cm 6,5 h. stainless steel covering upper shelf.



Dimensions: 65x72x85 cm Packing: 83x15x88 cm Net Weight: 15 kg


Gross Weight: 16 kg

Total Position 51: 461,73 €

L31-0**5**2.

XT70B

2.962,83





Dimensions: 68.4x83.5x204 cm Electric Power: 0.75 kW

Packing: 73,5x85,5x213 cm Net Weight: 115 kg Gross Weight: 130 kg

Total Position 52: 2.962,83 €

L31-0**5**3.

XT70L

2.519,23



REFRIGERATOR -2°C ÷ +8°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber made of aisi 304 stainless steel, pressed formed internal sides, 20 levels. ventilated cooling system , evaporator positioned inside the refrigerating chamber. control panel with digital thermometer-thermostat. electric defrosting, each compartment is delivered as standard with: n. 3 plastic-coated grids.

Dimensions: 68,4x83,5x204 cm Packing: 73,5x85,5x213 cm

Electric Power: 0.43 kW

Net Weight: 115 kg Gross Weight: 130 kg

Total Position 53: 2.519,23 €





Area L31-05 05 - meat/fish preparation									
Area Position	Net Price	Quantity Amount €							
L31-0 5 4. 11TA	609,79	1 609,79							

TABLE WITH REAR SPLASHBACK 110 CM

L31-0**5**4.0 **11RF** 134,82 134,82

UNDERSHELF 110 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.



Dimensions: 94,2x58,2x5 cm Packing: 80x110x6 cm Net Weight: 6,5 kg Gross Weight: 7 kg

Total Position 54: 744,61 € L31-0**5**5. **ARP1004** 165,85 165,85

Stainless steel AISI304 wall shelf, 100 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports.

Dimensions: 100x40x5 cm Packing: 102x42x6 cm Net Weight: 5 kg Gross Weight: 5,2 kg

Total Position 55: 165,85 € L31-0**5**6.

OPEN SINK 1 BOWL CM 50X50X25H

aisi304 stainless steel radiused, pressed top with satin finish and rear splashback. pressed bowl with a continuous weld bead to form a waterlight seal. open cupboard with front cover panel and aisi304 stainless steel tubular legs, 50 mm ø.

694,43

Dimensions: 70x70x90 cm Packing: 48x85,5x77 cm Net Weight: 21 kg Gross Weight: 22 kg





694,43





Area L31-05 05 - meat/fish preparation

Area Position

Net Price

Quantity Amount €


L31-0**5**6.0 **CEG**

195,22

195,22



elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks.



L31-0**5**6.1 **07RF**

105,29

105,29

UNDERSHELF 70 CM

L31-056.2 KSV25P

81,32

81,32



WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm

sink drainage kit including stainless steel overflow pipe, chromium-plated brass drainand plastic siphon. suitable for 25 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 56: 1.076,26 €

L31-0**5**7.0

nd

0,00

0,00

it's a wall shelf on a window $% \left(1\right) =\left(1$

Total Position 57: 0,00 €





Area L31-05 05 - meat/fish preparation

Area Position

Net Price

Quantity Amount €

L31-0**5**8.

C5070P

944,81

944,81



CHOPPING BLOCK

polyethylene chopping block for meat. sustained by four stainless steel rounded legs. with 18-10 stainless steel undershelf.

Dimensions: 50x70x90 cm Packing: 70x50x90 cm Net Weight: 46 kg Gross Weight: 50 kg

L31-0**5**9.

5K00164

254,81

254,81

Total Position 58: 944,81 €



MOBILE REFUSE BIN WITH PEDAL 100 LITERS

Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm Net Weight: 10 kg Gross Weight: 13 kg

L31-060. nd

0,00

Total Position 59: 254,81 €

1 0,00

recommended to buy locally . as alternative from apo that position will cost - $400 {\in}$

L31-0**6**0.a **5DA**

2.808,75

2.808,75

a |

REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WITHOUT

refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation. control panel with electronic circuit board, haccp alarms signaling. without top. 2 doors. energy class: a.



Dimensions: 140x70x84 cm Packing: 146x76x90 cm Net Weight: 87 kg Gross Weight: 97 kg Electric Power: 0,24 kW

Total Position 60: 2.808,75 €





Area L31-05 05 - meat/fish preparation

Area Position

Net Price

Quantity Amount €



BSTER

1.204,82

1.204,82



WALL MOUNTED ULTRAVIOLET KNIFE STERILIZER

18-10 stainless steel wall mounted knife sterilizer, methacrylate door.equipped with timer, security micro-switch to turn off lamps with door opening. 2 lamps (15 watt) and magnet.

Dimensions: 60x10x70 cm Packing: 77x67x30 cm Net Weight: 10 kg

Gross Weight: 11 kg

Electric Power: 0,03 kW

Total Position 61: 1.204,82 €



2.089,71

2.089,71

TABLE MEAT MINCER AND GRATER, OPENING 22

18-10 stainless steel outside with satin finish round grinder hopper, product holding tray and 18-10 stainless steel grinding assembly. 18-10 stainless steel self sharpening grind knife. food- safe pvc pusher.



Dimensions: 27x37x44 cm

Packing: 60x37x72 cm Net Weight: 30 kg Gross Weight: 32 kg

Electric Power: 1,1 kW

Total Position 62: 2.089,71 €

L31-0**6**3.

ARP1404

204,37

204,37

Stainless steel AISI304 wall shelf, 140 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with two rack supports.



Dimensions: 140x40x5 cm Packing: 142x42x6 cm Net Weight: 7 kg Gross Weight: 7,3 kg

Total Position 63: 204,37 €

L31-064.

nd

0,00

0,00

recommended to buy locally . As alternative from APO that position will cost -1200€





L31-065. 07L15	Area Posit		Tota	l Positi	on 64:	0,00 €
L31-065.0 CEG 195,22 1 195,22 HOT/COLD WATER MIXER TAP ELBOW OPERATED elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks. Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg L31-065.1 07RF 105,29 1 105,29 UNDERSHELF 70 CM L31-065.2 KSV25P 81,32 1 81,32 WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm sink drainage kit including stainless steel overflow pipe, chromium-plated bras drainand plastic siphon. suitable for 25 cm, h bowls.		OPEN SINK 1 BOWL CM 50X50X25H aisi304 stainless steel radiused, presse splashback. pressed bowl with a continuous open cupboard with front cover panel and a mm Ø. Dimensions: 70x70x90 cm Packing: 48x85,5x77 cm Net Weight: 21 kg	694,43 d top with	1 satin 1 to form a	694,43 finish ar	nd rear
L31-065.1 O7RF 105,29 1 105,29 UNDERSHELF 70 CM L31-065.2 KSV25P 81,32 1 81,32 WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm sink drainage kit including stainless steel overflow pipe, chromium-plated bras drainand plastic siphon. suitable for 25 cm, h bowls.	L31-0 6 5.0	CEG HOT/COLD WATER MIXER TAP ELBO elbow operated mixer tap with long-lever neck.suitable for sinks. Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg	OW OPERA	ATED		endable
WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm sink drainage kit including stainless steel overflow pipe, chromium-plated bras drainand plastic siphon. suitable for 25 cm, h bowls. Dimensions: 0x0x0 cm	L31-0 6 5.1	07RF	105,29	1	105,29	
	L31-0 6 5.2	WASTE TRAP OVERFLOW PIPE KIT I sink drainage kit including stainless steel or drainand plastic siphon. suitable for 25 cm, Dimensions: 0x0x0 cm	FOR BOWI	LS h 25	cm	d brass
Net Weight: 1 kg Gross Weight: 2 kg Total Position 65: 1.076,26		Net Weight: 1 kg	Total Po	sition 6	5: 1.07	′ 6,26 €





Area L31-05 05 - meat/fish	preparation

Area Position

Net Price

Quantity Amount €

L31-0**6**6.

ARP1604

233,26

466,52

Stainless steel AISI304 wall shelf, 160 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with three rack supports.



Dimensions: 160x40x5 cm Packing: 162x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg

Total Position 66: 466,52 €

L31-067.

4986310

358,52

358,52



BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g

countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.



Dimensions: 24x18x0 cm Packing: 0x0x0 cm

Total Position 67: 358,52 €

L31-068.

5DAA

3.142,59

3.142,59



REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WORKTOP

refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation, control panel with electronic circuit board, haccp alarms signaling, worktop made in aisi 304 stainless steel with rear splashback. 2 doors. energy class: a.

Dimensions: 140x70x98,5 cm Packing: 146x76x100 cm Net Weight: 108 kg

Gross Weight: 118 kg

Electric Power: 0,24 kW

L31-0**6**9.

09TA

585,66

Total Position 68: 3.142,59 € 585,66

TABLE WITH REAR SPLASHBACK 90 CM





Area L31-05 05 - mea	t/fish prepa	ation		
	Area Pos	tion	Net Price	Quantity Amount €
	L31-0 6 9.0	09RF	125,03	1 125,03
		UNDERSHELF 90 CM		
			Total P	Position 69: 710,69 €
	L31-0 5 0.	ARP1004	165,85	1 165,85
	353.	Stainless steel AISI304 wall shelf, 100 height adjustable wall shelf built entirely of finishing 8/10 mm thickness. edges for splashback protects the wall and facilitate two rack supports.	of aisi304 stalled to avo	oid hand cuttings, rear
		Dimensions: 100x40x5 cm Packing: 102x42x6 cm Net Weight: 5 kg Gross Weight: 5,2 kg	Total P	Position 70: 165,85 €
	L31-0 % 1.	6TPP180	2.928,59	1 2.928,59
		FISH PREPARATION WORK TABLE aisi 304 18-10 stainless steel fish prepara splashback on three sides seamless insert shaped trays with perforated removable board. bowl with syphon, drain and overflow	ed in a 54 m bottom and	m h top. complete with 2 I 1 polyethylene cutting
'		Dimensions: 180x70x90 cm Packing: 185x70x112 cm Net Weight: 80 kg Gross Weight: 90 kg		
	L31-0 5 1.2	DFCEG1	426,64	1 426,64
		Spraygun with mixer tap, leverage 220 spraygun, one-hole, with mixer tap, leverage Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg	•	
		Gross Weight: 9 kg		

The products of this offer conform to the reference standards, where applicable. $51577\ 18/07/2018$ Offer date 18/07/2018

Total Position 71: 3.355,23 €





Area L31-05 05 - meat/fish preparation

Area Position

Net Price

Quantity Amount €

L31-0\dagger33.

MS2

5.040,77

5.040,77



VACUUM PACKER 20 CBM/HOUR, SOFT-AIR DEVICE

aisi 304 stainless steel structure. transparent lid and bell in plastic foodsafe material. digital control panel, 9 programs. sotf-air device. chamber dimensions 446 x 456 x 217 h mm. sealing bar length 447 mm.

Dimensions: 53,9x65,5x50 cm

Packing: 73x64x67 cm Net Weight: 52 kg Gross Weight: 58 kg Electric Power: 1,15 kW

L31-054.

L31-035.

CMS2

897,14

897,14

Total Position 73: 5.040,77 €

TROLLEY WITH WHEELS AND SHELF FOR MS2/MS2I

aisi 304 stainless steel structure. shelf and wheels.for vacuum-packer model ms2/ms2i.



Dimensions: 53,9x53,9x53 cm Packing: 70x64x68 cm

Net Weight: 23 kg Gross Weight: 25 kg

14TB

Total Position 74: 897,14 €

569,24

TABLE WITH BOURLE OIDER OUDER OF 440 OF



TABLE WITH DOUBLE-SIDED SURFACE 140 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mq max (uniformly distributed).

Dimensions: 140x70x90 cm

Packing: 144x72x23 cm Net Weight: 28 kg Gross Weight: 30 kg

L31-0\%5.1 **KRP4GG**

247,17

569,24

247,17

SET OF 4 SWIVELLING WHEELS, 2 WITH BRAKE AND LEGS set of 4 swivelling wheels with brake and legs. to be used with work tables.



Dimensions: 20x20x80 cm Packing: 25x25x85 cm Net Weight: 7,5 kg Gross Weight: 8,5 kg





Total Position 76: 176,55 €

Total Area 05 - meat/fish preparation: 32.187,20 €

- Btumi Orbi Tower Ginza Restaurant

Area L31-05 05 - meat/fish preparation Area Position **Net Price Quantity Amount €** L31-0\forall 5.2 14RF 148,06 148,06 UNDERSHELF 140 CM 18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf. Dimensions: 124,2x58,2x5 cm Packing: 70x140x5 cm Net Weight: 8 kg Gross Weight: 10 kg Total Position 75: 964,47 € L31-036. 176,55 ZE 80 176,55 STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT





Area L31-06 06 - bakery - pasrty Area Position **Net Price** Quantity Amount € 0G0FT1G 2.080,53 2.080,53 L31-0**8**2. GAS GRIDDLE SMOOTH PLATE griddle made of aisi 304 stainless steel, 12/10 mm thickness top. satin finished fe510d steel cooking plate. delivered with: plate plug. heating by burner group controlled by thermostatic control valve. temperature control 120-340°c. Dimensions: 35x70x24 cm Packing: 82x48x68 cm Net Weight: 63 kg Gross Weight: 68 kg L31-0**8**2.0 **0GPS** 98,71 98,71 GRIDDLE SPLASH GUARDS 35 CM splash guard strips 18-10 in stainless steel, satin finish. comprising three removable sections to facilitate cleaning. Dimensions: 0x0x0 cm Packing: 41x20x10 cm Net Weight: 1 kg Gross Weight: 1,5 kg L31-082.1 9KFP5 79,18 79,18 JOINING KIT ATTACHMENT COVERS cover panels for fixture to rear surface in polished welded aluminium. kit comprises panels to cover up to five elements. Dimensions: 20x10x2 cm Packing: 20x10x2 cm Net Weight: 0,3 kg Gross Weight: 0,4 kg **Total Position 82: 2.258,42 €** L31-0**8**3. 3.449,68 3.449,68 3G6SA REFRIGERATED UNDER COMPARTMENT 0+/10°C FOR ELEMENTS DEPTH 70 CM **Total Position 83: 3.449,68 €**





Area L31-06 06 - bakery - pasrty

Area Position

Net Price

Quantity Amount €

L31-0**8**4.

0G0FR5G

2.157,12

2.157,12



GAS FRYER 1 WELL 7 L V SHAPED

fryer made of aisi 304 stainless steel, 12/10 mm thickness top. pressed "v" well without burner in - sealed into top, generously coved with large drain zone; each well delivered with 1 basket and 1 lid. mechanical controls. temperature controle through thermostat 100-190°c. heat exchange pipes outside the well. piezoelectric ignition of the pilot light.

Dimensions: 35x70x24 cm Packing: 82x41x68 cm Net Weight: 27 kg Gross Weight: 32 kg

L31-0**8**4.1 **KP1128**

2.739,20

2.739,20



WALL HOOD WITH LABYRINTH FILTER CUBIC OUTLINE

18-10 stainless steel hood with satin finish. complete with 5 labyrinth fiiters made of 18-10 stainless steel, removable for cleaning purposes. exhaust flowrate: 3900 mc/h.

Dimensions: 280x110x40 cm Packing: 290x60x125 cm Net Weight: 85 kg Gross Weight: 100 kg

L31-084.2 1G0TN

836,82

694,43

836,82


694,43

NEUTRAL ELEMENT


18 - 10 stainless steel with 12/10 top, with satin finish and medium scotchbrite brushed polish. free-standing box section structure suitable for all applications. possible for use as support surface for cooking tops.

Dimensions: 70x70x24 cm Packing: 74x82x68 cm Net Weight: 20 kg Gross Weight: 24 kg

L31-0**8**6. 07L15 Total Position 84: 5.733,14 €



OPEN SINK 1 BOWL CM 50X50X25H



Dimensions: 70x70x90 cm Packing: 48x85,5x77 cm Net Weight: 21 kg Gross Weight: 22 kg







Area L31-06 06 - bake	ery - pa	srty				
	Area	Posit	ion	Net Price	Quanti	ty Amount €
	L31-	0 8 6.	10TA	585,29	1	585,29
			TABLE WITH REAR SPLASHBACK 1 aisi 304 stainless steel top 54 mm h w sound deadening waterproof panel und splashback, integral with the worktop its sturdy structure of the work table guara kg/mq max (uniformly distributed).	ith satin finis lerneath. wo self, 8,5 cm	rktop ve high. tl	rsion with rear ne exceptionally
ή -			Dimensions: 100x70x90 cm Packing: 104x72x23 cm Net Weight: 18 kg			
	I 31-	0 8 6 0	Gross Weight: 20 kg CEG	195,22	1	195,22
	2017	.0	HOT/COLD WATER MIXER TAP ELB elbow operated mixer tap with long-lever neck.suitable for sinks.	OW OPERA	TED	
431			Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg			
	L31-(0 8 6.1	07RF UNDERSHELF 70 CM	105,29	1	105,29
	L31-	0 6 6.2	KSV25P WASTE TRAP OVERFLOW PIPE KIT sink drainage kit including stainless steel of drainand plastic siphon. suitable for 25 cm.	overflow pipe		-
			Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg	Total Po	sition 8	6: 1.661,55 €





Quantity Amount €

Total Position 87: 408,74 €

Net Price

- Btumi Orbi Tower Ginza Restaurant

Area L31-06 06 - bakery - pasrty

Area Position

ARP1404 L31-0**8**7. 204,37 408,74

Stainless steel AISI304 wall shelf, 140 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with two rack supports.

Dimensions: 140x40x5 cm Packing: 142x42x6 cm Net Weight: 7 kg Gross Weight: 7,3 kg

L31-0**8**8. 6.521,65 6.521,65 BPZ167A

COMPLETE REFRIGERATED PIZZA COUNTER

inside/outside in 18-10 stainless steel.one-piece insulated structure. doors with stainless steel handle.cooling system, finned evaporator, electric fan. automatic condensation drain.electric defro- sting.electronic thermometer-thermostat.with granite top, refrigerated display and 7 drawers.

Dimensions: 160x80x147 cm Electric Power: 0,52 kW Packing: 162x92x168 cm

Net Weight: 290 kg Gross Weight: 330 kg

L31-0**8**8.0 432,28 B1637A 432,28

CONTAINER FOR UPPER TOP 160x37 CM

18-10 stainless steel container kit with lid, for refrigerated pizza display cabinet 160 x37 cm. kit consisting of 150 mm h gn containers: n.2 x 1/2 + n.1 x 1/3+ n.4

x 1/6.

Dimensions: 0x0x0 cm Packing: 58x37x26 cm Net Weight: 11,5 kg Gross Weight: 13 kg

5K00106

Total Position 88: 6.953,93 € L31-089.

ELECTRIC PIZZA OVEN DOUBLE CHAMBER FOR 4X2 PIZZAS

stainless steel electric oven for pizzerias cooking chamber in aluminium coated steel refractory cooking floor stainless steel armored heating elements indipendent cooking chambers with top and bottom separate power control. thermal insulation guaranteed by the choice of the best materials available on the market and by over 30 years of experience in the design and manufacture of high temperature ovens.

2.503,80

Dimensions: 91x84x70 cm Packing: 98x98x84 cm Net Weight: 140 kg

Gross Weight: 150 kg **Total Position 89: 2.503,80 €**

Electric Power: 9 kW



2.503,80





Area L31-06 06 - bakery - pasrty

Area Position

Net Price

Quantity Amount €

L31-0**9**0.

5K00145

439,64

439,64



STAND H86CM FOR TKD2I PIZZA OVEN (5K00248-106)

Dimensions: 91x84x86 cm Packing: 96x47x16 cm Net Weight: 25 kg Gross Weight: 26 kg

Total Position 90: 439,64 €

L31-091.

AFPE85

795,01

795,01



PIZZA ELECTRIC OVEN HOOD

completely made in aisi 430 stainless steel, 10/10 thickness.complete with steam exhausting motor for pizza electric ovens.

Dimensions: 85x10x0 cm Packing: 40x100x40 cm Net Weight: 12 kg Gross Weight: 13 kg

Total Position 91: 795,01 €

L31-0**9**2.

0G0FT1G

2.080,53

2.080,53

GAS GRIDDLE SMOOTH PLATE

griddle made of aisi 304 stainless steel, 12/10 mm thickness top. satin finished fe510d steel cooking plate. delivered with: plate plug. heating by burner group controlled by thermostatic control valve, temperature control 120-340°c.

Dimensions: 35x70x24 cm Packing: 82x48x68 cm Net Weight: 63 kg Gross Weight: 68 kg

L31-0**9**2.1 0GIVG

440,84

440,84



UNDER COMPARTMENT - OPEN VERSION

free-standing frame to support gamma range tops. side panels, base and inside in stainlesssteel aisi 304 18-10. internal dimensions mm 328 x 548 x 349 h. height-adjustable 18-10 stainless steel feet.

Dimensions: 35x70x66 cm Packing: 76x42x68 cm Net Weight: 13 kg Gross Weight: 15 kg





Area L31-06 06 - bak	ery - pa	srty				
		Posit	ion	Net Price	Quant	ty Amount €
	L31-	0 9 2.2		96,30	1	96,30
			GRIDDLE SPLASH GUARDS 35 CM splash guard strips 18-10 in stainless removable sections to facilitate cleaning.	steel, satin	finish. c	comprising three
			Dimensions: 0x0x0 cm Packing: 41x20x10 cm Net Weight: 1 kg Gross Weight: 1,5 kg			
	L31-	0 9 2.3	9KFP5	79,18	1	79,18
			JOINING KIT ATTACHMENT COVER cover panels for fixture to rear surface comprises panels to cover up to five elements.	e in polished	d welded	d aluminium. kit
			Dimensions: 20x10x2 cm Packing: 20x10x2 cm Net Weight: 0,3 kg Gross Weight: 0,4 kg			
			Gloss Weight. 0,4 kg	Total Po	sition 9	2 : 2.696,85 €
	L31-	0 6 3.	KP1116 WALL HOOD WITH LABYRINTH FILT 18-10 stainless steel hood with satin fir made of 18-10 stainless steel, removable rate: 2200 mc/h.	nish. complet	te with 3	B labyrinth fiiters
in			Dimensions: 160x110x40 cm Packing: 170x60x125 cm Net Weight: 52 kg Gross Weight: 62 kg			
		_				3: 1.873,57 €
	L31-	0 6 4.	TABLE WITH REAR SPLASHBACK 1 aisi 304 stainless steel top 54 mm h w sound deadening waterproof panel une splashback, integral with the worktop its sturdy structure of the work table guara kg/mq max (uniformly distributed). Dimensions: 120x70x90 cm Packing: 124x72x23 cm Net Weight: 40 kg Gross Weight: 42 kg	vith satin fini derneath. wo self, 8,5 cm	orktop von n high. t	ersion with rear he exceptionally





- Btumi Orbi Tower Ginz					
Area L31-06 06 - bak					
	Area Positi	ion	Net Price	Quantity	Amount €
	L31-0 9 4.1	12RF UNDERSHELF 120 CM 18-10 stainless steel sheet undershelf vomega. 180 mm clearance between floor a		1 nish. it is	141,48 reinforced by
		Dimensions: 104,2x58,2x5 cm Packing: 112x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg	Total F	Position 9	04: 766,63 €
	L31-0 9 5.	ARP1604	239,09	1	239,09
		Stainless steel AISI304 wall shelf, 160 height adjustable wall shelf built entirely of finishing 8/10 mm thickness. edges fo splashback protects the wall and facilitate three rack supports.	of aisi304 sta Ided to avo	oid hand	cuttings, rear
		Dimensions: 160x40x5 cm Packing: 162x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg	Total F	osition 9	05: 239,09€
	L31-0 6 6.	09TA	585,29	1	585,29
		TABLE WITH REAR SPLASHBACK 90 CM	1		
	L31-0 6 6.0	09RF	128,32	1	128,32
		UNDERSHELF 90 CM			



bcompany°

- Btumi Orbi Tower Ginza Restaurant

Area L31-06 06 - bakery - pasrty						
Area Position	Net Price	Quantity	y Amount €			
L31-0 9 6.0 nd	0,00	1	0,00			

marble top recommended to buy locally

Total Position 96: 713,61 €

L31-0**6**9.1 **17TA_SP** 0,00 1 0,00

TABLE WITH MARBLE TOP

L31-0**6**9.2 **PM703-17** 882,40 1 882,40

GRANITE TOP 70 CM DEPTH - 3 CM THICKNESS

 Total Position 99: 882,40 €

 L31-0600.
 7.055,58
 1
 7.055,58



One-phase upright sheeter

one-phase upright sheeter chrome steel cylinders, variable belt and cylinders speed, exit-belt and control handle

Dimensions: 40x76x60 cm Packing: 50x90x80 cm Net Weight: 60 kg Gross Weight: 70 kg Electric Power: 0,35 kW

Total Position 100: 7.055,58 €





Area L31-06 06 - bakery - pasrty		
Area Position	Net Price	Quantity Amount €
L31-0601. SE220N	2.461,00	1 2.461,00

Imperia

Total Position 101: 2.461,00 € L31-0602. 0,00 nd

recommended to buy locally

L31-0**6**04. **5K00164**

Total Position 102: 0,00 €

254,81

969,42

254,81

969,42

MOBILE REFUSE BIN WITH PEDAL 100 LITERS

Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm Net Weight: 10 kg

Gross Weight: 13 kg

14TAVS

Total Position 104: 254,81 €

TABLE WITH REAR SPLASHBACK LEFT BOWL 140 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed). aisi 304 stainless steel could-moulded bowl 40x50x24 h cm, inserted on the left side of the worktop

Dimensions: 140x70x90 cm Packing: 145x75x50 cm Net Weight: 48 kg Gross Weight: 50 kg





L31-0605.





Area L31-06 06 - bal	kery - pasrty				
	Area Posi	tion	Net Price	Quant	ity Amount €
	L31-0 6 05	OCEGTV HOT/COLD WATER MIXER TAP ELI mixer tap to use on work top with box extendableneck			201,16 control and long
		Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg			
	L31-0 6 05	.1 KSV25P	81,32	1	81,32
		WASTE TRAP OVERFLOW PIPE KI's sink drainage kit including stainless steel drainand plastic siphon. suitable for 25 cm	overflow pipe		
		Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg			
	L31-0 6 05		162,64	1	162,64
		UNDERSHELF FOR TABLE WITH B 18-10 stainless steel sheet undershelf omega.with holes for floor and drain conn	with satin fi		is reinforced by
		Dimensions: 124,2x58,2x5 cm Packing: 61x132x6 cm Net Weight: 9,5 kg Gross Weight: 10 kg			
	104.0600				05: 1.414,54 €
	L31-0 6 06	. nd	0,00	1	0,00

recommended to buy locally





Area L31-06 06 - bakery - pasrty

Area Position


Net Price

Quantity Amount €

L31-0606. **5MB4**

3.642,28

3.642,28



inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by air. automatic condensation evaporation, electronic thermometer/thermostat. without top. 2 doors, 4 drawers.



Dimensions: 190x70x84 cm Packing: 190x74,5x92 cm

Net Weight: 131 kg Gross Weight: 143 kg Electric Power: 0,43 kW

Total Position 106: 3.642,28 €

L31-0607.

4986310

358,52

358,52

BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g

countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.



Dimensions: 24x18x0 cm Packing: 0x0x0 cm

Total Position 107: 358,52 €

L31-0608. TAURO40

3.451,47

3.451,47

Counter spiral kneading machine 1V capacity 40 kg counter spiral keading machine with bowl, spiral and shaft in stainless steel, kinematic motion on pre-lubricated ball bearings, transmission with inextensible toothed belts x000d



Dimensions: 78x53x83 cm Packing: 57x90x85 cm Net Weight: 96 kg

Electric Power: 1,1 kW

Gross Weight: 110 kg

Total Position 108: 3.451,47 €

L31-0609. **ZE 80** 176,55

176,55

STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT





Area Posit	Total	Position	109: 176,55 €
L31-0 6 10. nd	0,00	1	0,00

recommended to buy locally

			Total	Positi	on 110: 0,00 €
	L31-0 6 11.	CL50UE	2.585,66	1	2.585,66
		Bench vegetable/mozzarella cutter bench-type vegetable/mozzarella cutt hopper and guides in die-cast aluminiu has two feeders: the first half-moon shathe 2nd in cylindrical in shape.comple phased engine to slice, grate, cut in stapeed.	er. machine be m,removable to aped for most vete with pestle	facilitate olumino to cut lo	e cleansing, which bus vegetable and ong vegetable. 3-
		Dimensions: 35x32x59 cm El Packing: 40x40x60 cm Net Weight: 20,2 kg Gross Weight: 22,2 kg	lectric Power: 0,6	kW	
	L31-0 6 11.	0 6028063	140,12	1	140,12
		slicing disc 2mm slicing disc 2mm			
		Dimensions: 20x20x5 cm Packing: 24x23,5x5,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg			
	L31-0 6 11.	1 6028064	140,12	1	140,12
ar _z		slicing disc 3mm			



slicing disc 3mm

Dimensions: 20x20x5 cm Packing: 24x23,5x5,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg





Area L31-06 06 - bak	ery - pa	srty				
	Area	Posit	ion	Net Price	Quantity	Amount €
	L31-	0 6 11.2	2 6028057	132,89	1	132,89
			Julienne disc 2mm julienne disc 2mm			
3			Dimensions: 20x20x5 cm			
			Packing: 24x23,5x5,5 cm Net Weight: 0,5 kg			
			Gross Weight: 0,5 kg			
	L31-	U 6 11.:	3 6028058	132,89	1	132,89
			Julienne disc 7mm julienne disc 7mm			
			Dimensions: 20x20x2 cm Packing: 24x23,5x2,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg			
	L31-	0 6 11.4	4 6028016	132,89	1	132,89
			DISK FOR JULIENNE 7 MM disk for julienne 7 mm			
			Dimensions: 20x20x2 cm Packing: 24x23,5x2,5 cm Net Weight: 0,5 kg			
	I 31-	0611	Gross Weight: 0,5 kg 5 6028061	132,89	1	132,89
Con Train	LOT	υ 11.	Bread/cheese grater disc bread/cheese grater disc			
engly str			Dimensions: 20x20x2 cm Packing: 24x23,5x2,5 cm Net Weight: 0,5 kg Gross Weight: 0,5 kg			





Area L31-06 06 - bakery - pasrty

Area Position Net Price Quantity Amount €

L31-0**6**11.6**6028110**

362,57 1 362,57



Kit slice disc and cubes grid 5x5x5mm kit slice disc and cubes grid 5x5x5mm

Dimensions: 29x29x29 cm Packing: 30x30x30 cm Net Weight: 8 kg Gross Weight: 10 kg

L31-0611.7**SDC**L

59,22

.

59,22



Support 6 discs(B) support 6 discs(b)

Dimensions: 70x30x30 cm Packing: 75x35x35 cm Net Weight: 1 kg

Total Position 111: 3.819,25 €

Total Area 06 - bakery - pasrty: 54.010,06 €





Area L31-07 07 - WARM KITHEN 01

Area Position L31-0**7**15. **ELMG**

Net Price 394,83

Quantity Amount € 394,83

WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED

aisi 304 stainless steel top, h = 40 mm, thickness 0.8 mm. pressed well made in aisi 304 stainless steel, 0.8 thickness, diametre 340, height 135mm. rear splashback h = 30 mm. supporting structure closed by stainless steel panels, thickness 0.8 mm. delivered with: button, timed water tap and siphon drain.endowed with mixing valve cold/hot.

Dimensions: 40x40x25 cm Packing: 50x41x40 cm Net Weight: 6 kg Gross Weight: 7 kg

L31-0716. M15LAN

Total Position 115: 394,83 €

1.650,61

1.650,61



Hose reel 15mt

hose reel, aisi 304 stainless steel rolling structure, swivel of 165°, to be fixed to the wall, locking system and automatic pipe rolling. max temperature range +60°c and max 8.5 bar. water flow at 300 kpa: 12 lt/min. opportunity of assembly and use in any area of the kitchen with the highest hygiene and small footprint.

Dimensions: 15x52x55 cm Packing: 60x60x20 cm Net Weight: 21 kg Gross Weight: 23 kg

Total Position 116: 1.650,61 €

Total Position 117: 682,66 €

L31-0717. 5K00020

682,66 682,66

TRAYHOLDER TROLLEY 18 TRAYS 2/1 GN

L31-0718. EX70L

2.065,10

4.130,20

REFRIGERATOR -2°C ÷ +8°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber equipped with shelf supports in aisi 304 stainless steel, 20 levels. ventilated cooling system, evaporator positioned inside the refrigerating chamber. control panel with digital thermometerthermostat. electric defrosting. each compartment is delivered as standard with: n. 3 pairs of aisi 304 stainless steel guides and n. 3 plastic-coated grids.

Packing: 79x85,5x216 cm Net Weight: 113 kg

Electric Power: 0.43 kW

Dimensions: 75x83,5x204 cm Gross Weight: 128 kg

Total Position 118: 4.130,20 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €

L31-0719. 14TAVS

969,42

969,42



TABLE WITH REAR SPLASHBACK LEFT BOWL 140 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed). aisi 304 stainless steel could-moulded bowl 40x50x24 h cm, inserted on the left side of the worktop

Dimensions: 140x70x90 cm Packing: 145x75x50 cm Net Weight: 48 kg Gross Weight: 50 kg

L31-0719.0 CEGTV

201,16

201,16



HOT/COLD WATER MIXER TAP ELBOW OPERATED

mixer tap to use on work top with bowl. long-lever elbow control and long extendableneck

Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg

L31-0719.1 KSV25P

81,32

81,32



WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm

sink drainage kit including stainless steel overflow pipe, chromium-plated brass drainand plastic siphon. suitable for 25 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

L31-0719.214RFV

162,64

162,64

UNDERSHELF FOR TABLE WITH BOWL 140 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega.with holes for floor and drain connection.



Dimensions: 124.2x58.2x5 cm Packing: 61x132x6 cm Net Weight: 9,5 kg Gross Weight: 10 kg

Total Position 119: 1.414,54 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €

L31-0720. ARP1404

204,37

204,37



Stainless steel AISI304 wall shelf, 140 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with two rack supports.

Dimensions: 140x40x5 cm Packing: 142x42x6 cm Net Weight: 7 kg Gross Weight: 7,3 kg

Total Position 120: 204,37 €

L31-0**7**21. **5K00164**

254,81



MOBILE REFUSE BIN WITH PEDAL 100 LITERS

Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm Net Weight: 10 kg Gross Weight: 13 kg

Total Position 121: 254,81 €



16TA

661,26

1.322,52



TABLE WITH REAR SPLASHBACK 160 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed).

Dimensions: 160x70x90 cm Packing: 164x72x23 cm Net Weight: 49 kg Gross Weight: 50 kg

L31-0722.016RF

162,64

325,28



UNDERSHELF 160 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.

Dimensions: 144,2x58,2x5 cm Packing: 162x72x5 cm Net Weight: 12 kg Gross Weight: 14 kg

Total Position 122: 1.647,80 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €

L31-0723. ARP1604

233,26

466,52

Stainless steel AISI304 wall shelf, 160 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with three rack supports.



Total Position 123: 466,52 €

L31-0724.

5K00047

635,58

635,58

COMBINED HANDHELD MIXER, 0,3 KW VAR. SPEED, H 300 MM



Dimensions: 65x0x0 cm Packing: 35x47x14 cm

Net Weight: 3,5 kg Gross Weight: 4,5 kg Electric Power: 0,3 kW

Total Position 124: 635,58 €

L31-0725. 5MB4A

3.905,50

3.905,50

REFRIGERATED COUNTER 0 ÷ +10°C DEPTH 70 CM WORKTOP

inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by air. automatic condensation evaporation. electronic thermometer/thermostat. radiused rear splashback. 1 door, 4 drawers.



Dimensions: 185x70x98,5 cm Packing: 189x74,5x100,5 cm

Net Weight: 160 kg Gross Weight: 172 kg Electric Power: 0,43 kW

Total Position 125: 3.905,50 €

L31-0726.

ARP1804

251,45

251,45



Stainless steel AISI304 wall shelf, 180 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with three rack supports.



Dimensions: 180x40x5 cm Packing: 182x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg



Area Posit

Total Position 126: 251,45 €

L31-0**7**27. **4986310**

358,52

358,52



BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm

L31-0728. RBCOOK

4.429,80

4.429,80

Total Position 127: 358,52 €



CUTTER COOKER ROBOTCOOK, 3,7L BOWL, SINGLE PHASE

cutter cooker is the solution to minimize the preparation time: emulsifysing, grinding, mixing, chopping blendind and kneading are among the many functions robotcook carries out. its modular heat capacity up to 140°c is accurate to the nearest degree.3,7l grand format bowl.refined dishes prepared in no time with its turbo rotary speed 4,500 rpm per minute. blade retention to safetly empty the bowl.

Dimensions: 22,6x52,2x33,8 cm

Packing: 40x60x40 cm Net Weight: 13,5 kg Gross Weight: 15 kg

Electric Power: 1,8 kW

Total Position 128: 4.429,80 €

L31-0**7**30. **KP1312**

1.669,20

1.669,20



WALL HOOD WITH LABYRINTH FILTER CUBIC OUTLINE

18-10 stainless steel hood with satin finish. complete with 2 labyrinth fiiters made of 18-10 stainless steel, removable for cleaning purposes. exhaust flowrate: 1700 mc/h.

Dimensions: 120x130x40 cm Packing: 130x60x145 cm Net Weight: 44 kg Gross Weight: 54 kg

L31-0731.

10TA

585,29

Total Position 130: 1.669,20 €

585,29



TABLE WITH REAR SPLASHBACK 100 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed).

Dimensions: 100x70x90 cm Packing: 104x72x23 cm Net Weight: 18 kg Gross Weight: 20 kg







Area L31-07 07 - WAI	RM KIT	HEN 0	1			
	Area	Positi	on	Net Price	Quantity	Amount €
	L31-	0 7 31.0	UNDERSHELF 100 CM 18-10 stainless steel sheet undershelf womega. 180 mm clearance between floor ar			127,33 reinforced by
			Dimensions: 84,2x58,2x5 cm Packing: 92x63x6 cm Net Weight: 7 kg Gross Weight: 8 kg	Total Po	sition 13	1: 712,62€
	L31-	0 7 35.	5MB4M	3.863,77	1	3.863,77
			REFRIGERATED COUNTER 0 ÷ +10°0 inside and outside in aisi 304 stainless statements doors. cooling system with exterior finned defrosting system by air. automatic conthermometer/thermostat. one- piece structure 4 drawers.	steel. one-pi l evaporator indensation	ece struct , electric f evaporation	ure, insulated an. automatic on. electronic
			Dimensions: 185x70x90 cm Electric Packing: 189x74,5x92 cm Net Weight: 159 kg Gross Weight: 171 kg	Power: 0,43		
					tion 135:	3.863,77 €
	L31-(U136.1	M2P130 DOUBLE SHELF	0,00	.1	0,00
	L31-	0736.2	2R2P130	0,00	1	0,00
			HEATING KIT 2 SHELVES			

Total Position 136: 0,00 €





Area L31-07 07 - WARM KITHEN 01						
Area Position	Net Price	Quan	ntity Amount €			
L31-0 7 37. M2P140	0,00	1	0,00			

DOUBLE SHELF

Total Position 137: 0,00 €

L31-0**7**38.

A14B1E

2.053,33

2.053,33



ELECTRIC HOT CUPBOARD, WITH SLIDING DOORS

18-10 stainless steel free-standing structure with satin finish.sliding doors with double walled sand wich-panel structure. middle shelf reinforced by omega. steel height-adjustable feet. 18-10 s/s top, satin finish,60 mm h, 12/10 thick, two-sided radiused.ventilated heating, thermostatic control.

Dimensions: 140x70x90 cm Packing: 145x75x95 cm Net Weight: 65 kg Gross Weight: 70 kg

Electric Power: 2 kW

Total Position 138: 2.053,33 €

L31-0740. 29UB

615,28


615,28

CONTINUOUS DOUBLE-SIDED SURFACE 290 CM

L31-0740.15MB4

3.642,28

3.642,28



REFRIGERATED COUNTER 0 ÷ +10°C DEPTH 70 CM WITHOUT

inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by air. automatic condensation evaporation. electronic thermometer/thermostat. without top. 2 doors, 4 drawers.



Dimensions: 190x70x84 cm Packing: 190x74,5x92 cm Net Weight: 131 kg

Electric Power: 0.43 kW

Gross Weight: 143 kg Total Position 140: 4.257,56 €





 ARM KITHEN 0	1			
Area Positi	ion	Net Price	Quantity	Amount €
L31-0 7 41.	M2P190	0,00	1	0,00
	DOUBBLE SHELVES			
		Total	Position	141: 0,00 €
L31-0 7 42.	A10Z1	988,68	1	988,68
	CUPBOARD ONE SIDE SLIDING DO 18-10 stainless steel free-standing struct			
	double walledsandwich panel structure suitable to be fixed to continuos work surf	. middle shel		
	double walledsandwich panel structure	. middle shel		

DOUBLE FOOT SUPPORT

		Total Posi	tion 142:	1.138,48 €
L31-0 7 43.	M2P100	661,26	1 66	31,26
	nd			
		Total Po	sition 143	: 661,26 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €

L31-0**7**44. **16TA**

661,26

661,26



TABLE WITH REAR SPLASHBACK 160 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed).

Dimensions: 160x70x90 cm Packing: 164x72x23 cm Net Weight: 49 kg Gross Weight: 50 kg

L31-0744.016RF

162,64

162,64

UNDERSHELF 160 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.



Dimensions: 144,2x58,2x5 cm Packing: 162x72x5 cm Net Weight: 12 kg Gross Weight: 14 kg

Total Position 144: 823,90 €

L31-0745.

ARP1604

233,26



Stainless steel AISI304 wall shelf, 160 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with three rack supports.

Dimensions: 160x40x5 cm Packing: 162x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg

Total Position 145: 233,26 €

L31-0**7**46. **NE1843**

3.847,72

3.847,72



Microwave oven 3 power level, cap 18 lt; 1800W

straightforward, compact and powerful oven. complete with a 30 minute manual timer, three power levels, a start button, luminous display and led lights.the door opens sideways. suitable for stacking, ideal for all applications, from the snack bar to the small restaurant, perfect for pubs and sandwich bars

Dimensions: 42,2x50,8x33,7 cm

Packing: 45x55x38 cm Net Weight: 30 kg Gross Weight: 33 kg

Electric Power: 0.283 kW

Total Position 146: 3.847,72 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €



L31-0**7**47. **PDM3000**

1.014,36

1.014,36

Total Position 147: 1.014,36 €

Ribbed/smooth cast iron hotplate for sandwich

long life cast iron hotplate, which ensure hygiene, acid and salt proof ness and resistance to oxidation. two adjustable thermostats up to 300° c, which enable to use the plates separately; heavy-duty machine; mechanical timer available; shock-proof coated heating elements, adherent to the plates for a perfect thermal conductivity

Electric Power: 3.1 kW

Dimensions: 44x52x24 cm Packing: 45x56x27 cm Net Weight: 31 kg Gross Weight: 32 kg

4.972,29

4.972,29

L31-0749. **04WCP1EM**

ELECTRIC PASTA COOKER 1 WELL 40 L ON CABINET 18-10 stainless steel structure, 20/10 mm thickness top. pressed well in polished aisi 316l stainless steel.direct heating by means of electric elements pressure switch device, controlled by switch, under cabinet, side walls/bottom in single

radiused piece, insulated hinged doors. to be equipped with baskets.

Dimensions: 40x110x72 cm Packing: 46x128,5x117 cm

Net Weight: 67 kg Gross Weight: 77 kg Electric Power: 12 kW

L31-0749.111WCL

685,87

685,87



SIDE FINISHING PANEL

side finishing unit for omega top and side elements. made of 18-10 aisi 304 stainless steel.

Dimensions: 7.5x110x72 cm Packing: 51x117x19 cm Net Weight: 14 kg Gross Weight: 16 kg

L31-0749.2 KCPW40

313,51

313,51



4 BASKETS FOR PASTA COOKER 40 L

kit comprising 4 baskets in flat micro-streched mesh in aisi 316l stainless steel, with heatproofplastic handle classed foodsafe. the kit includes: 3 baskets size 82x296x200h mm and 1 basket size 127x260x200h mm.

Dimensions: 0x0x0 cm Packing: 77x40x55 cm Net Weight: 5 kg Gross Weight: 6 kg





Area L31-07 07 - WARM KITHEN 01

Area Position **Net Price** Quantity Amount €

L31-0**7**49.3 **KPW**

47,08

47,08



4 FEET SET - FLOOR INSTALLATION

set of 4 heavy duty feet, height adjustable. suitable for alpha900 and omega elements. foot aplitude 9 cm (minimum / maximum height of the appliance: 87/96 cm).

Dimensions: 0x0x0 cm Packing: 38,5x24,5x13 cm Net Weight: 1,6 kg Gross Weight: 2 kg

Total Position 149: 6.018,75 €

L31-0751.

08WFAAV

4.823,56

4.823,56



4 BURNER GAS RANGE ON CABINET

18-10 stainless steel structure, 20/10 mm thickness top.top grids and double crowned burners, 7 and 10 kw, in enamelled cast iron. under cabinet, side walls and bottom in single radiused piece, with insulated hinged doors and heatresistant chromium-plated handles.

Dimensions: 80x110x72 cm Packing: 130x86x124 cm Net Weight: 115 kg

Gross Weight: 125 kg

Electric Power: 0,006 kW

L31-0752. 04WPNV

2.226,67

Total Position 151: 4.823,56 € 2.226.67



NEUTRAL ELEMENT ON CABINET

18-10 stainless steel structure, 20/10 mm thickness top. free-standing box section structure suitable for all applications. under cabinet, side walls/bottom in single radiused piece, insulated hinged doors and heat-resistant chromiumplated handles.

Dimensions: 40x110x72 cm Packing: 130x46x117 cm Net Weight: 60 kg Gross Weight: 70 kg

L31-0752. 10WTPGE

6.883,31

6.883,31



SOLID TOP GAS RANGE ON ELECTRIC STATIC OVEN

18-10 stainless steel structure.plate in 16 mo5 special polished steel with satin finish,optimal resistance to high temperatures. valve controlled burner heating.pass-through static 2/1+1/1gn oven thermostatically controlled,insulated hinged door, heat-resistant chromium-plated handle.

Dimensions: 100x110x72 cm Packing: 105x120x116 cm Net Weight: 182 kg

Gross Weight: 202 kg

Electric Power: 6.5 kW

Total Position 152: 9.109,98 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €



L31-0**7**53. **06WFR3GD**

5.555,44

5.555,44



GAS FRYER 1 WELL 12 L DIGITAL CONTROLS

18-10 stainless steel structure, 20/10 mm thickness top. pressed well sealed into top, generously coved with drain zone. under cabinet, side walls, bottom in a single radiused piece with insulated hinged doors and and heat-resistant chromium-plated handles.delivered with 1 basket/each well.

Dimensions: 60x110x72 cm Packing: 130x68x124 cm Net Weight: 85 kg

Electric Power: 0,03 kW

Gross Weight: 105 kg L31-0753. 08WFT7GV

6.512,50

6.512,50



GAS GRIDDLE SMOOTH COMPOUND PLATE ON CABINET

18-10 stainless steel structure, 20/10 mm thickness top. compound cooking plate. two independent heating, thermostatically controlled. under cabinet, side walls/bottom in single radiused piece,insulated hinged doors and heat- resistant chromium-plated handles. delivered with: plate plug.

Dimensions: 80x110x72 cm Packing: 129x86x116 cm Net Weight: 142 kg Gross Weight: 162 kg

Electric Power: 0,001 kW

L31-0753.102WPN

1.028,27

1.028,27



NEUTRAL ELEMENT

18-10 stainless steel structure, 20/10 mm thickness top. free-standing box section structure suitable for all applications. closed under cabinet, useful as technical compartment for housing water, gas and electrical connections.

Dimensions: 20x110x72 cm Packing: 77x115x49 cm Net Weight: 30 kg Gross Weight: 33 kg

L31-0753.211WCL

685,87

685,87



SIDE FINISHING PANEL

side finishing unit for omega top and side elements. made of 18-10 aisi 304 stainless steel.

Dimensions: 7.5x110x72 cm Packing: 51x117x19 cm Net Weight: 14 kg Gross Weight: 16 kg





Area	L31-07	07 -	WARM	KITHEN 01

Area Position

Net Price

Quantity Amount €

L31-0753.322WT4

688,01

688,01



MULTI-ELEMENTS SUPPORT - 4 FEET - 220 CM

18-10 aisi304 stainless steel support, 30/10 mm thickness. useful for all omega elements. 4 feet, adjustable for levelling.


Dimensions: 220x0x0 cm Packing: 97x240x20 cm Net Weight: 32 kg Gross Weight: 34 kg

L31-0753.412WT2E

439,77

879,54

MULTI-ELEMENTS EXTENSION SUPPORT - 2 FEET - 120 CM





Dimensions: 120x0x0 cm Packing: 100x162x20 cm Net Weight: 18 kg Gross Weight: 20 kg

L31-0753.546WZ

931,90

931,90

PERIMETER PLINTH FOR A 460 CM BLOC



18-10 stainless steel plinth. fixed to the multi-elements support, it closes it on 4 sides, the plinth can be removed for periodic inspections.

Dimensions: 460x0x0 cm Packing: 32x262x20,5 cm Net Weight: 22 kg Gross Weight: 25 kg

L31-0753.6 KPW

47,08

94,16



4 FEET SET - FLOOR INSTALLATION

set of 4 heavy duty feet, height adjustable. suitable for alpha900 and omega elements. foot aplitude 9 cm (minimum / maximum height of the appliance: 87/96 cm).

Dimensions: 0x0x0 cm Packing: 38,5x24,5x13 cm Net Weight: 1,6 kg Gross Weight: 2 kg

Total Position 153: 16.375,69 €





Area L31-07 07 - WARM KITHEN 01

Area Position

Net Price

Quantity Amount €

L31-0**7**54. **KC1728**

3.130,12

6.260,24



CENTRAL HOOD WITH LABYRINTH FILTER CUBIC OUTLINE

18-10 stainless steel hood with satin finish. complete with 7 labyrinth fiiters made of 18-10 stainless steel, removable for cleaning purposes. exhaust flowrate: 4.900 mc/h.

Dimensions: 280x170x40 cm Packing: 290x60x185 cm Net Weight: 111 kg Gross Weight: 126 kg

Total Position 154: 6.260,24 €

L31-0755.

ZE 80

178,00

178,00

STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT

Total Position 155: 178,00 €

Total Area 07 - WARM KITHEN 01: 83.468,87 €





Area L31-08 08 - WARM KITHEN 02

Area Position **Net Price** Quantity Amount €

L31-0**8**58. **1G0FA0**

1.722,70 1.722,70

4 BURNER GAS RANGE



burner gas boiling range made of aisi 304 stainless steel, 12/10 mm thickness top. top grids and burners in enamelled cast iron. valve controlled removable burners with double and single crown burner cap. pilot light and thermocouple. radiused and liquid-tight burner recess.

Dimensions: 70x70x24 cm Packing: 82x82x68 cm Net Weight: 43 kg Gross Weight: 51 kg

L31-0**8**58.1**1GIVG** 585,29 585,29

UNDER COMPARTMENT - OPEN VERSION



free-standing frame to support gamma range tops. side panels, base and inside in stainlesssteel aisi 304 18/10. height-adjustable 18-10 stainless steel feet. it can be fitted with pair of pan runners mod. xgigb and hinged doors.

Dimensions: 70x70x66 cm Packing: 76x82x68 cm Net Weight: 16 kg Gross Weight: 18 kg

Total Position 158: 2.307,99 €

L31-0859. **KP1320**

2.269,47

2.269,47

WALL HOOD WITH LABYRINTH FILTER CUBIC OUTLINE 18-10 stainless steel hood with satin finish. complete with 4 labyrinth fiiters made of 18-10 stainless steel, removable for cleaning purposes. exhaust flow-

rate: 2800 mc/h.



Dimensions: 200x130x40 cm Packing: 210x60x145 cm Net Weight: 65 kg Gross Weight: 75 kg

Total Position 159: 2.269,47 €

L31-0**8**60. 0,00 0,00 nd

pos. 160. and 161. recommended to buy locally

Total Position 160: 0,00 €





Area L31-08 08 - WARM KITHEN 02

Area Position

Net Price

Quantity Amount €

L31-0**8**62. **5K00164**

254,81

254,81



MOBILE REFUSE BIN WITH PEDAL 100 LITERS

Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm Net Weight: 10 kg

Gross Weight: 13 kg

Total Position 162: 254,81 €

L31-0863. 5DAA

3.142,59

3.142,59



REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WORKTOP

refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation, control panel with electronic circuit board, haccp alarms signaling, worktop made in aisi 304 stainless steel with rear splashback. 2 doors. energy class: a.

Dimensions: 140x70x98,5 cm Packing: 146x76x100 cm

Electric Power: 0.24 kW

Net Weight: 108 kg Gross Weight: 118 kg

Total Position 163: 3.142,59 €

L31-0864.

ZE80

178,77

178,77



STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT.

apparecchio a griglia elettrica di nuova generazione.struttura in alluminio.neon sfalsati 2xtvx8-12 per una migliore emissione di luce;l'innovativa griglia elettrica crea una più ampia zona di cattura.rimozione dei neon senza utensili per manutenzione più rapida.massima flessibilità nel montaggio:installazione a parete,a sospensione o appoggio.conforme a normarohs e legislazione eu.copertura 40mq.

Dimensions: 51,4x26,2x13 cm

Packing: 55x30x16 cm Net Weight: 2,5 kg Gross Weight: 3,2 kg

Electric Power: 0,03 kW

Total Position 164: 178,77 €

L31-0**8**65. **TG12**

1.261,53

1.261,53



TABLE TOP MEAT MINCER AND GRATER, OPENING 12

aluminium casting covered structure with 18-10 stainless steel polished sheeting. base and graterbody in polished aluminium casting. anodised alumi nium roller with safety microswitch. aisi304 round grinder hopper. tinned meat grinder assembly.

Dimensions: 67x24x43 cm Packing: 60x74x60 cm Net Weight: 10 kg Gross Weight: 12 kg

Electric Power: 0,75 kW





Area Posit Total Position 165: 1.261,53 €

L31-0**8**66. R5PLUS3F 3.815,81 1

3.815,81



TABLE-TOP CUTTER MIXER, THREE PHASE, CAPACITY 5,5L "counter-top cutter designed to process all types of food in order to mix,grind,chop,with speed and efficiency.pulse control allows you to maintain the precise required cut.industrial induction motor designed for heavy duty guarantees durability and reliability inox bowl capacity 5,5 lt.standard smooth-

edged blade assembly.have

Dimensions: 28x35x49 cm Packing: 0x0x0 cm Net Weight: 23,5 kg

Total Position 166: 3.815,81 €

L31-0**8**67. **5K00047**

635,58

635,58

COMBINED HANDHELD MIXER, 0,3 KW VAR. SPEED, H 300 MM



Dimensions: 65x0x0 cm Packing: 35x47x14 cm

Electric Power: 0,3 kW

Net Weight: 3,5 kg Gross Weight: 4,5 kg

Total Position 167: 635,58 €

L31-0868.

4986310

358,52



BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g

countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm

Total Position 168: 358,52 €

L31-0869. ARP1004

165,85



Stainless steel AISI304 wall shelf, 100 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports.

Dimensions: 100x40x5 cm Packing: 102x42x6 cm Net Weight: 5 kg Gross Weight: 5,2 kg

Total Position 169: 331,70 €





Area L31-08 08 - WARM KITHEN 02 Area Position **Net Price** Quantity Amount € L31-0**87**0. 12TA 609,90 609,90 TABLE WITH REAR SPLASHBACK 120 CM aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high, the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed). Dimensions: 120x70x90 cm Packing: 124x72x23 cm Net Weight: 40 kg Gross Weight: 42 kg L31-0870.012RF 138,03 138,03 UNDERSHELF 120 CM 18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf. Dimensions: 104,2x58,2x5 cm Packing: 112x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg **Total Position 170: 747,93 €** L31-0871. **ARP1204** 177,62 177,62 Stainless steel AISI304 wall shelf, 120 cm height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports. Dimensions: 120x40x5 cm Packing: 122x42x6 cm Net Weight: 6 kg Gross Weight: 6,3 kg **Total Position 171: 177,62 €** L31-0872. EX70L 2.065,10 REFRIGERATOR -2°C ÷ +8°C GN 2/1 refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber equipped with shelf supports in aisi 304 stainless steel, 20 levels. ventilated cooling system, evaporator positioned inside the refrigerating chamber. control panel with digital thermometerthermostat. electric defrosting. each compartment is delivered as standard with: n. 3 pairs of aisi 304 stainless steel guides and n. 3 plastic-coated grids. Dimensions: 75x83,5x204 cm Electric Power: 0.43 kW Packing: 79x85,5x216 cm Net Weight: 113 kg

Gross Weight: 128 kg

Total Position 172: 2.065,10 €





Area L31-08 08 - WARM KITHEN 02

Area Position Net Price Quantity Amount €

L31-0873. **DRAGVV**

425,54

425,54



Blender capacity 1,5 lt

blender with a white or chrome body, no edges or seams for easy cleaning, powerful ventilated motor, transparent, unbreakable 1,5 lt lexan container is dishwasher safe and graduated with litres and uk/usa gallons, tight rubber lid with feed opening to add ingredients while the blender is working, safety microswitch on the lid

Dimensions: 20x21x42 cm Packing: 30x31x53 cm Net Weight: 2,7 kg

Gross Weight: 4 kg

Electric Power: 0,5 kW

Total Position 173: 425,54 €

Total Area 08 - WARM KITHEN 02: 17.972,96 €





Area L31-09 09 - COLD KITCEN

Area Position

Net Price 2.065,10

Quantity Amount €

L31-0**9**75. **EX70L**

2.065,10



REFRIGERATOR -2°C ÷ +8°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber equipped with shelf supports in aisi 304 stainless steel, 20 levels. ventilated cooling system, evaporator positioned inside the refrigerating chamber. control panel with digital thermometerthermostat. electric defrosting. each compartment is delivered as standard with: n. 3 pairs of aisi 304 stainless steel guides and n. 3 plastic-coated grids.

Dimensions: 75x83,5x204 cm Packing: 79x85,5x216 cm

Electric Power: 0,43 kW

Net Weight: 113 kg Gross Weight: 128 kg

Total Position 175: 2.065,10 €

L31-0976. 14TAVS

969,42

969,42



TABLE WITH REAR SPLASHBACK LEFT BOWL 140 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mq max (uniformly distributed). aisi 304 stainless steel could-moulded bowl 40x50x24 h cm, inserted on the left side of the worktop

Dimensions: 140x70x90 cm Packing: 145x75x50 cm Net Weight: 48 kg Gross Weight: 50 kg

L31-0976.0 CEGTV

201,16

201,16



HOT/COLD WATER MIXER TAP ELBOW OPERATED

mixer tap to use on work top with bowl. long-lever elbow control and long extendableneck

Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg

L31-0976.1 KSV25P

81,32

81,32



WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm

sink drainage kit including stainless steel overflow pipe, chromium-plated brass drainand plastic siphon. suitable for 25 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg





	Area	L31-09	09 -	COLD	KITCEN
--	------	--------	------	------	--------

Area Position **Net Price** Quantity Amount €

L31-0976.214RFV

162,64

162,64

UNDERSHELF FOR TABLE WITH BOWL 140 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega.with holes for floor and drain connection.



Dimensions: 124,2x58,2x5 cm Packing: 61x132x6 cm Net Weight: 9,5 kg

Gross Weight: 10 kg

Total Position 176: 1.414,54 €

L31-0977. **ARP1004**

165,85

331,70



Stainless steel AISI304 wall shelf, 100 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports.

Dimensions: 100x40x5 cm Packing: 102x42x6 cm Net Weight: 5 kg Gross Weight: 5,2 kg

Total Position 177: 331,70 €

L31-0978.

20TA

705,13

705,13



TABLE WITH REAR SPLASHBACK 200 CM

aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mg max (uniformly distributed).

Dimensions: 200x70x90 cm Packing: 205x75x20 cm Net Weight: 58 kg Gross Weight: 63 kg

L31-0978.020RF

199,02

199,02

UNDERSHELF 200 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.



Dimensions: 184,2x58,2x5 cm Packing: 192x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg

Total Position 178: 904,15 €





Area Position

Net Price

Quantity Amount €

L31-0979. **ARP1604**

233,26

233,26

Stainless steel AISI304 wall shelf, 160 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with three rack supports.




Total Position 179: 233,26 €

L31-0980.

5K00164

254,81





Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm Net Weight: 10 kg Gross Weight: 13 kg

Total Position 180: 254,81 €

L31-0981. **DRAGVV**

425,54

425,54



Blender capacity 1,5 lt

blender with a white or chrome body, no edges or seams for easy cleaning, powerful ventilated motor, transparent, unbreakable 1,5 lt lexan container is dishwasher safe and graduated with litres and uk/usa gallons, tight rubber lid with feed opening to add ingredients while the blender is working, safety microswitch on the lid

Dimensions: 20x21x42 cm Packing: 30x31x53 cm Net Weight: 2,7 kg Gross Weight: 4 kg

Electric Power: 0,5 kW

L31-0982.

5K00047

Total Position 181: 425,54 €

635,58

635,58

COMBINED HANDHELD MIXER, 0,3 KW VAR. SPEED, H 300 MM

Dimensions: 65x0x0 cm Packing: 35x47x14 cm Net Weight: 3,5 kg Gross Weight: 4,5 kg

Electric Power: 0,3 kW





Area Posit **Total Position 182: 635,58 €**

L31-0983. 5MB4A

3.905,50

3.905,50

REFRIGERATED COUNTER 0 ÷ +10°C DEPTH 70 CM WORKTOP

inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by air. automatic condensation evaporation. electronic thermometer/thermostat. radiused rear splashback. 1 door, 4 drawers.

Dimensions: 185x70x98,5 cm Packing: 189x74,5x100,5 cm

Electric Power: 0,43 kW

251,45

Net Weight: 160 kg

Gross Weight: 172 kg

Total Position 183: 3.905,50 €

251,45

L31-0984. **ARP1804** Stainless steel AISI304 wall shelf, 180 cm

> height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with three rack supports.

Dimensions: 180x40x5 cm Packing: 182x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg

Total Position 184: 251,45 €

2.151,77

358,52

L31-0985. AFT30S SLICING MACHINE WITH SLOPING BLADE Ø 300 MM

anodized aluminium-alloy body, stainless steel blade. a safety microswitch is installed on theblade guard complete with blade sharpener and safety

microswitch.belt drive.3-phase functioning.

Dimensions: 68x58x43 cm Packing: 75x45x55 cm Net Weight: 34 kg

Gross Weight: 35 kg

4986310

Electric Power: 0.24 kW

358,52

2.151,77

Total Position 185: 2.151,77 € L31-0986.

BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g

countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm

Total Position 186: 358,52 €











Area L31-09 09 - COLD KITCEN

Area Position

Net Price

Quantity Amount €

L31-0987. 20UB

387,34

387,34





18-10 stainless steel radiused top, 54 mm h, 12/10 thick, with satin finish. sound deadening, water- fireproof panel underneath. suitable to be, completed with cupboard, cabinet with drawers or refrigerated tables.

Dimensions: 200x70x5,4 cm Packing: 202x72x22 cm Net Weight: 42 kg Gross Weight: 47,5 kg

Total Position 187: 387,34 €

L31-0988.

M2P200

0,00

0,00

DOUBBLE SHELF

Total Position 188: 0,00 €

L31-0989. 5MA

2.408,57

2.408,57

REFRIGERATED COUNTER 0 ÷ +10°C DEPTH 70 CM WITHOUT

inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by air. automatic condensation evaporation. electronic thermometer/thermostat. without top. 2 doors.



Dimensions: 140x70x84 cm Packing: 144x74,5x92 cm Net Weight: 86 kg

Gross Weight: 96 kg

Electric Power: 0,27 kW

Total Position 189: 2.408,57 €

L31-0990.

ZE 80

176,55

176,55

STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT





Total Area 09 - COLD KITCEN: 16.829,93 €

- Btumi Orbi Tower Ginza Restaurant

	Area Posit		Total P	osition '	190: 176,5	5 €	
	L31-0 9 91.	12TA	609,90	1	609,90		
		TABLE WITH REAR SPLASHBACK 120 CM aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high. the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mq max (uniformly distributed).					
,		Dimensions: 120x70x90 cm Packing: 124x72x23 cm Net Weight: 40 kg Gross Weight: 42 kg					
	L31-0 9 91.0		138,03	1	138,03		
		UNDERSHELF 120 CM 18-10 stainless steel sheet undershelf vomega. 180 mm clearance between floor a		finish. it i	s reinforced	by	
		Dimensions: 104,2x58,2x5 cm Packing: 112x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg					
				Position '	191: 747,9	3 €	
	L31-0 9 92.	ARP1204 Stainless steel AISI304 wall shelf, 120 height adjustable wall shelf built entirely of finishing 8/10 mm thickness. edges fo splashback protects the wall and facilitate two rack supports.	of aisi304 solded to av	void hand	d cuttings, re	ear	
		Dimensions: 120x40x5 cm Packing: 122x42x6 cm Net Weight: 6 kg Gross Weight: 6,3 kg	Total P	osition [•]	192: 177,62	2€	





Area L31-10 10 - POT WASH

Area Position Net Price

L31-1095.1 **20L28**

2.288,92 1 2.288,92

Quantity Amount €

OPEN SINK 2 BOWLS CM 80X54X32.5H



aisi304 stainless steel radiused, pressed top with satin finish and rear splashback. pressed bowl with a continuous weld bead to form a waterlight seal. open cupboard with front cover panel and aisi304 stainless steel tubular legs, 50 mm \varnothing .

Dimensions: 200x70x50 cm Packing: 205x70x90 cm Net Weight: 47 kg Gross Weight: 50 kg

L31-1095.3 CEG 195,22 1 195,22

HOT/COLD WATER MIXER TAP ELBOW OPERATED



elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks.

Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg

L31-1**0**95.4**KSV325P**

WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 32,5 cm

237,54

79,18




sink drainage kit including stainless steel overflow pipe, chromium-plated brass drain and plastic siphon. suitable for 32.5 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

L31-1095.524RF 274,19 1 274,19

UNDERSHELF 240 CM



Dimensions: 224,2x58,2x5 cm Packing: 118x61x12 cm Net Weight: 15 kg Gross Weight: 16 kg

Total Position 195: 2.995,87 €





Area L31-10 10 - POT WASH

Area Position

Net Price

Quantity Amount €

L31-1096. **DFCEG1**

426,64

426,64



Spraygun with mixer tap, leverage 220, spout 225 spraygun, one-hole, with mixer tap, leverage 220, spout 225

Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg

Gross Weight: 9 kg

Total Position 196: 426,64 €

L31-1097. nd

0,00

recommended to buy locally

L31-1098. 766610

117,16

Total Position 197: 0,00 € 117,16

Dustbin 120 lt

grey polyethylene dustbin hdpe (colour choose), with lid, 2 wheels 200 mm diameter, din 30740/en840 corresponding

Dimensions: 48x54x92 cm Packing: 48x54x92 cm Net Weight: 10 kg Gross Weight: 10 kg

Total Position 198: 117,16 €

L31-1099. LSF51318

723,66

723,66



POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180

modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher. the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins, etc..

Dimensions: 140x50x180 cm Packing: 150x60x50 cm Net Weight: 33 kg Gross Weight: 36 kg





Area Posit Total Position 199: 723,66 €

Total Area 10 - POT WASH: 4.263,33 €





Area L31-11 11 - BEVERAGE SECTION

Area Position **Net Price** Quantity Amount € L31-1**2**00. **40** 1.760,15 5.280,45

REFRIGERATOR, 400 lts, SINGLE DOOR

monoblock sheel. exterior in vx-pet steel "fingerprint-resistance". interior in thermoformed plastic material ps with st/st pressed runners and shelf supports.cooling with roll-bond evaporator. electronic thermometer/thermostat. defrosting system by air. single compartment 400 I capacity.

Dimensions: 70x63x164 cm Packing: 75x66,5x179,5 cm

Net Weight: 75 kg Gross Weight: 85 kg Electric Power: 0,25 kW

Total Position 200: 5.280,45 €

L31-1201. 0,00 0,00 nd

> is beverage bar style . that product group is not specialty of apo. recommended to buy from another producer

Total Position 201: 0,00 €

L31-1202. nd 0,00

> is beverage bar style. That product group is not specialty of APO. Recommended to buy from another producer

Total Position 202: 0,00 € L31-1203. KRYO_65_OD

KRYO 65 OD

kryo 65 od (on demand) is fitted with high-capacity 64 mm-diameter mills, ensuring production of 3.5 g/second. grinding is instant, and takes place directly in the filter holder, ensuring a fresh, correctly dosed product. the ergonomic design and quality of the material provide excellent stability even in situations of intense use. grinding speed, precise dosing, and a clear, intuitive user interface make kryo 65 od the ideal grinder-doser for high-quality espresso-based beverages.

1.323,59

Electric Power: 0.45 kW

Dimensions: 8,7x15,1x22,6 cm

Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

Total Position 203: 2.647,18 €





Area L31-11 11 - BEVERAGE SECTION

Area Position

Net Price

Quantity Amount €

L31-1204. CLASSE 5 USB

7.259,95

7.259,95



CLASSE_5_USB_TALL

3gr: 2 filter-holder for two coffees and 1 filter-holder for one coffee / 2gr: 1 filterholder for two coffees and 1 filter-holder for one coffee, 2 steam wands, 1 hot water dispenser, cleaning discs, adjustable feet

Dimensions: 77x54x52 cm Packing: 0x0x0 cm

Electric Power: 6 kW

Net Weight: nd kg Gross Weight: nd kg

Total Position 204: 7.259,95 €

L31-1205.

0,00

0,00


is beverage bar style. That product group is not specialty of APO. Recommended to buy from another producer

L31-1206. **E20TA**

Total Position 205: 0,00 €



TABLE WITH REAR SPLASHBACK 200 CM





Dimensions: 200x70x90 cm Packing: 200x70x25 cm Net Weight: 73,2 kg Gross Weight: 75 kg

Total Position 206: 783,08 €

L31-1207. **ARP1804** 257,74

783,08

515,48

783,08



Stainless steel AISI304 wall shelf, 180 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with three rack supports.

Dimensions: 180x40x5 cm Packing: 182x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg





Area Posit		Total	Position	207:	515,48 €
L31-1 2 08.	E14TA	636,12	1	636	5,12
	TABLE WITH REAR SPLASHBACK 14 aisi 304 stainless steel top thickness 0,8 h.100 mm. sound deadening, water-fire thickness 18mm. tubular legs stainless stee 304 of 1", height adjustable 60mm. disassembled.	mm, 40 proof chi el 40x40m	pboard p nm, with u	anel u ndershe	nderneath. elf. feet aisi

Dimensions: 140x70x90 cm Packing: 40x75x25 cm Net Weight: 54,7 kg Gross Weight: 56 kg

L31-1208.A-ND 0,00 1 0,00

must be made locally not standard unit

			Total P	osition 2	08: 636,12 €
	L31-1 2 09.	ARP1804	257,74	2	515,48
		Stainless steel AISI304 wall shelf, 180 height adjustable wall shelf built entirely of finishing 8/10 mm thickness. edges fo splashback protects the wall and facilitate three rack supports.	of aisi304 st lded to av	oid hand	cuttings, rear
		Dimensions: 180x40x5 cm Packing: 182x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg			
	L31-1 2 09.	A ARP1204	182,06	2	364,12
+		Stainless steel AISI304 wall shelf, 120 height adjustable wall shelf built entirely of finishing 8/10 mm thickness. edges for splashback protects the wall and facilitate two rack supports.	of aisi304 st lded to av	oid hand	cuttings, rear
		Dimensions: 120x40x5 cm Packing: 122x42x6 cm Net Weight: 6 kg Gross Weight: 6,3 kg			
			Total P	osition 2	09: 879,60 €





Area L31-11 11 - BEVERAGE SECTION

Area Position

Net Price

Quantity Amount €



425,54

425,54



Blender capacity 1,5 lt

blender with a white or chrome body, no edges or seams for easy cleaning, powerful ventilated motor, transparent, unbreakable 1,5 lt lexan container is dishwasher safe and graduated with litres and uk/usa gallons, tight rubber lid with feed opening to add ingredients while the blender is working, safety microswitch on the lid

Dimensions: 20x21x42 cm Packing: 30x31x53 cm Net Weight: 2,7 kg

Gross Weight: 4 kg

Electric Power: 0,5 kW

569,21

Total Position 210: 425,54 €

569,21

L31-1211. **APOLLOVV**

Electric citrus juicer with lever

commercial easy to use citrus juicer with chrome body, no edges or seams for easy cleaning, stainless steel bowl is removable for cleaning and is dishwasher safe, reamer and sieve are one piece to squeeze with the maximum efficiency, patented safety microswitch on the cone allows to activate the juicer when the product is pushed down, aluminium stainless steel lever.

Dimensions: 27x21x16 cm Packing: 28x22x37 cm Net Weight: 3,5 kg

Gross Weight: 5 kg

Electric Power: 0,2 kW

L31-1212. **J80ULTRA**

2.207,41

2.207,41

Total Position 211: 569,21 €



EL. AUTOMATIC JUICERS. PRODUCTION CAPACITY 120L/H

automatic juicers patented automatic feed tube with a diameter of 79 mm for continuous throughput and hassle-free juicing.heavy duty operation all day long.pulp ejected into a 6,5 litre large capacity container with translucent sides to monitor pulp levels.drip tray.the powerful heavy duty motor operates at a speed of 3.000 rpm for a production of up to 120 l/h. useful height under the spout.

Dimensions: 23,5x42x50,5 cm

Packing: 0x0x0 cm Net Weight: 10,9 kg Gross Weight: 12,8 kg Electric Power: 0,7 kW

Total Position 212: 2.207,41 €

L31-1213.

nd

0,00

0,00

is beverage bar style . That product group is not specialty of APO. Recommended to buy from another producer





Area Posit Total Position 213: 0,00 €

L31-1214.0-ND

0,00

0,00

must be made locally not standard unit

Total Position 214: 0,00 €

L31-1215. PCR40

217,16

170,00

217,16

MOBILE REFUSE BIN WITH LID 50 LITERS

aisi 304 stainless steel refuse bin with pressed lid. container with handles and separated trolley with swivelling wheels. capacity 50 lt.

Dimensions: 40x40x60,5 cm Packing: 40x65x75 cm Net Weight: 8 kg Gross Weight: 9 kg

Total Position 215: 217,16 €

L31-1216. ARP1004

Stainless steel AISI304 wall shelf, 100 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations. complete with two rack supports.

Dimensions: 100x40x5 cm Packing: 102x42x6 cm Net Weight: 5 kg Gross Weight: 5,2 kg

L31-1217. E12TAVD

751,27 1

Total Position 216: 340,00 €

751,27


I-IAIT. LIZIAVD

TABLE WITH REAR SPLASHBACK RIGHT BOWL 120 CM

aisi 304 stainless steel top thickness 0,8 mm, 40 mm h. radiused rear splashback h 100 mm. sound deadening, water-fireproof chipboard panel underneath. stainless steel (thickness 1 mm) bowl cm 50x40x25 h cm.tubular legs stainless steel 40x40mm. feet aisi 304, height adjustable 60mm. delivered with: brass drain 1,5", overflow pipe and siphon.

Dimensions: 120x70x90 cm Packing: 120x70x35 cm Net Weight: 39,1 kg Gross Weight: 40 kg

Total Position 217: 751,27 €







Area Position Net Price	Quantity Amoun	nt €
L31-1218. KR-ICE57M 1.933,49	1 1.933,4	9

ICE CADDY

		Total Position 218: 1.933,49 €
L31-1 2 19.	nd	0,00 1 0,00
	is beverage bar style . That product Recommended to buy from another product	
		Total Position 219: 0,00 €
L31-1 2 20.	ZE 80	176,55 1 176,55

STERMINAINSETTI ELETTRICO LUCE UV GRIGLIA ELETT



 Total Position 220: 176,55 €

 L31-1221.
 4986310
 367,49
 1
 367,49

BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm





Area Posit **Total Position 221: 367,49 €**

L31-1**2**22. **SIRVVB**

391,54

391,54



Counter drink mixer 1 glass

counter drink mixer with white or chrome head, aluminium stem and die casting base for a perfect stability. transparent 650 cc lexan cup or stainless steel cup. powerful ventilated motor for a longer life. spindle with three aluminium and s/steel agitators for preparing cocktails and drinks, or with a special round agitator for frozen coffees or for creamier results. speed control

Dimensions: 20x15x49 cm Packing: 24x19x51 cm

Electric Power: 0,1 kW

Net Weight: 2,5 kg Gross Weight: 5 kg

Total Position 222: 391,54 €

Total Position 223: 2.483,04 €

L31-1223. WKTD2NVA

2.483,04

2.483,04



Water boiler 20I for counters water conn.

water boiler for use on a counter, double walled. with water connection. with gauge glass, adjustable thermostat 0 - 97°c, dry-boil safety guard and no-drip tap. capacity 20l. hour capacity 30l.

Dimensions: 0x35,5x51,5 cm

Packing: 0x0x0 cm

Electric Power: 3,2 kW

L31-1**2**24. **E10SR**

542,49

542,49

SHELVING UNIT - 4 SHELVES

4 shelves in stainless steel, 0.8 mm thick. legs in stainless steel, 1.2 mm thick with holes for shelves mounting, clearance 200 mm. feet in aisi304 stainless steel with 1". delivered with: assembly accessories shelves and feet. suitable for loads of max. 150 kg/m² evenly placed on the shelf. disassembled delivered.



Dimensions: 100x50x180 cm Packing: 110x70x20 cm Net Weight: 20 kg Gross Weight: 25 kg

Total Position 224: 542,49 €

Total Area 11 - BEVERAGE SECTION: 28.407,05 €





Area L31-12 12 - GRILL SECTION

Area Position

L31-1**2**25. **EX70TPV**

Net Price 3.064,48

Quantity Amount € 3.064,48



REFRIGERATOR WITH GLASS DOOR 0°C ÷ +10°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber equipped with shelf supports in aisi 304 stainless steel, 20 levels. ventilated cooling system, evaporator positioned inside the refrigerating chamber, air defrosting. control panel with digital thermometer-thermostat. 1 double glazed door, each compartment is delivered as standard with: n. 3 pairs of aisi 304 stainless steel guides and n. 3 plastic-

Dimensions: 75x83,5x204 cm Packing: 79x85,5x213 cm

Electric Power: 0,27 kW

Net Weight: 125 kg Gross Weight: 140 kg

Total Position 225: 3.064,48 €

L31-1**2**31.

nd

0,00

0,00

grill section. Needed to make a project on this . Approximately price is mentioned 18000 €

L31-1232. 5DA

Total Position 231: 0,00 €

2.808,75

REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WITHOUT

refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation. control panel with electronic circuit board, haccp alarms signaling. without top. 2 doors. energy class: a.



Dimensions: 140x70x84 cm

Packing: 146x76x90 cm Net Weight: 87 kg Gross Weight: 97 kg

Electric Power: 0.24 kW

2.808,75

Total Position 232: 2.808,75 €

L31-1234. **NE1843**

3.847,72

3.847,72

Microwave oven 3 power level, cap 18 lt; 1800W

straightforward, compact and powerful oven. complete with a 30 minute manual timer, three power levels, a start button, luminous display and led lights.the door opens sideways. suitable for stacking, ideal for all applications, from the snack bar to the small restaurant, perfect for pubs and sandwich bars



Dimensions: 42,2x50,8x33,7 cm

Packing: 45x55x38 cm Net Weight: 30 kg Gross Weight: 33 kg

Electric Power: 0.283 kW

Total Position 234: 3.847,72 €





Area L31-12 12 - GRILL SECTION

Area Position Net Price Quantity Amount €

L31-1**2**36. **4986310**

358,52

358,52



BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included). adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm

Total Position 236: 358,52 €

Total Area 12 - GRILL SECTION: 10.079,47 €





Area L31-13 13 - DESSERT SECTION		
Area Position	Net Price	Quantity Amount €
L31-1 2 60. nd	0,00	1 0,00

recommended to buy locally . As alternative from APO that position will cost -5650€

Total Position 260: 0,00 €

L31-1266. PACOJET

9.207,35

9.207,35

PACOJET - FOOD PROCESSING MACHINE

Total Position 266: 9.207,35 €

L31-1267. **J80ULTRA**

2.207,41

2.207,41

EL. AUTOMATIC JUICERS, PRODUCTION CAPACITY 120L/H

"automatic juicers.patented automatic feed tube with a diameter of 79 mm for continuous throughput and hassle-free juicing.heavy duty operation all day long.pulp ejected into a 6,5 litre large capacity container with translucent sides to monitor pulp levels.drip tray.the powerful heavy duty motor operates at a speed of 3.000 rpm for a production of up to 120 l/h. useful height under the spout.

Dimensions: 23.5x42x50.5 cm

Electric Power: 0.7 kW

Electric Power: 0.43 kW

Packing: 0x0x0 cm Net Weight: 10,9 kg Gross Weight: 12,8 kg

L31-1**27**1. EX70L 2.065,10

REFRIGERATOR -2°C ÷ +8°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber equipped with shelf supports in aisi 304 stainless steel, 20 levels. ventilated cooling system, evaporator positioned inside the refrigerating chamber. control panel with digital thermometerthermostat. electric defrosting. each compartment is delivered as standard with: n. 3 pairs of aisi 304 stainless steel guides and n. 3 plastic-coated grids.

Dimensions: 75x83,5x204 cm Packing: 79x85,5x216 cm

Net Weight: 113 kg Gross Weight: 128 kg

Total Position 271: 2.065,10 €

Total Position 267: 2.207,41 €

The products of this offer conform to the reference standards, where applicable. 51577 18/07/2018 Offer date 18/07/2018





Area L31-13 13 - DESSERT SECTION

Area Position **Net Price** Quantity Amount €

L31-1**2**73. **IMP5**

1.936,70

1.936,70



KNEADING MACHINE / MIXER CAPACITY 5 L

structure in painted steel. ventilated asynchronous engine and electronic speed control. mechanical transmission with auto-lubricant gears, tools in stainless steel aisi 304. removable protection in stainless steel, bowl capacity 5 l. mixture (flour with 50% water) capacity min 0,2 max 1,1 kg.

Dimensions: 38x50x60 cm Packing: 43x53x80 cm Net Weight: 31 kg

Gross Weight: 38 kg

Electric Power: 0,37 kW

L31-1274.

APOLLOVV

569,21

569,21

Total Position 273: 1.936,70 €



Electric citrus juicer with lever

commercial easy to use citrus juicer with chrome body, no edges or seams for easy cleaning, stainless steel bowl is removable for cleaning and is dishwasher safe, reamer and sieve are one piece to squeeze with the maximum efficiency, patented safety microswitch on the cone allows to activate the juicer when the product is pushed down, aluminium stainless steel lever.

Dimensions: 27x21x16 cm Packing: 28x22x37 cm Net Weight: 3,5 kg

Gross Weight: 5 kg

Electric Power: 0,2 kW

Total Position 274: 569,21 €

L31-1275. **5EAB**

3.202,51

3.202,51

REFRIGERATED COUNTER -24°C ÷ -12°C DEPTH 70 CM GN 1/1

inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by heating elements, automatic condensation evaporation. control panel with electronic circuit board, haccp alarms signaling. without top. 2

Electric Power: 0,65 kW

Dimensions: 140x70x84 cm Packing: 144x74,5x100,5 cm

Net Weight: 97 kg Gross Weight: 107 kg

Total Position 275: 3.202,51 €



IMP5

1.936,70

3.873,40



KNEADING MACHINE / MIXER CAPACITY 5 L

structure in painted steel. ventilated asynchronous engine and electronic speed control. mechanical transmission with auto-lubricant gears. tools in stainless steel aisi 304. removable protection in stainless steel, bowl capacity 5 l. mixture (flour with 50% water) capacity min 0,2 max 1,1 kg.

Dimensions: 38x50x60 cm Packing: 43x53x80 cm Net Weight: 31 kg Gross Weight: 38 kg

Electric Power: 0,37 kW



bcompany

- Btumi Orbi Tower Ginza Restaurant

Area Posit **Total Position 276: 3.873,40 €**

L31-1**2**77. **5MB4**

3.642,28 1

3.642,28



REFRIGERATED COUNTER 0 ÷ +10°C DEPTH 70 CM WITHOUT

inside and outside in aisi 304 stainless steel. one-piece structure, insulated doors. cooling system with exterior finned evaporator, electric fan. automatic defrosting system by air. automatic condensation evaporation. electronic thermometer/thermostat. without top. 2 doors, 4 drawers.

Dimensions: 190x70x84 cm Packing: 190x74,5x92 cm

Net Weight: 131 kg Gross Weight: 143 kg

Total Position 277: 3.642,28 €

Total Area 13 - DESSERT SECTION: 26.703,96 €

Electric Power: 0,43 kW





Area L31-14 14 - DISH WASH					
Area Position	Net Price	Quantity Amount €			
L31-1280.1TRS18 SP	7.704,00	1 7.704,00			

CUSTOM LOADING TABLE

Total Position 280: 7.704,00 €

L31-1282. 5K00500 192,73 1 192,73

MOBILE REFUSE BIN 70 LITERS

Dimensions: 39,5x39,5x73 cm Packing: 42,5x42,5x75 cm Net Weight: 10 kg Gross Weight: 11 kg

L31-1284. **DFCEG1** 426,64 1 426,64

Spraygun with mixer tap, leverage 220, spout 225 spraygun, one-hole, with mixer tap, leverage 220, spout 225

Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg Gross Weight: 9 kg

 Total Position 284: 426,64 €

 L31-1285. KN900BA
 5.173,45
 1
 5.173,45

PASS-THROUGH DISHWASHER 51 BASKETS/HOUR WITH DRAIN pass-through dishwasher, 51 baskets/hour. 5 washing programs. single skin structure in aisi 304 stainless steel. stainless steel washing arms. drain pump, detergent dispenser and rinse aid, bluewater clean water system. atmospheric boiler and break-tank for rinsing at constant temperature and pressure. integrated continuous softener. included: basket, basket for plates and insert for

Electric Power: 10.2 kW

Dimensions: 72x75x153 cm Packing: 80x80x156 cm Net Weight: 140 kg Gross Weight: 150 kg

cutlery.

Total Position 285: 5.173,45 €

Total Position 282: 192,73 €

The products of this offer conform to the reference standards, where applicable. 51577 18/07/2018 Offer date 18/07/2018





Area L31-14 14 - DISH WASH

Area Position

Net Price

Quantity Amount €

L31-1286. KVP1010

1.232,64

1.232,64



WALL STEAM EXHAUSTING HOOD

18-10 stainless steel hood, satin finished. laminar air intake to separate fat drops and condensate wet steam.liquid collection into integral perimeter gutters equipped with drain connection. exhaust flow-rate: 800 mc/h.

Dimensions: 100x100x40 cm Packing: 110x60x115 cm Net Weight: 40 kg Gross Weight: 50 kg

Total Position 286: 1.232,64 €

L31-12487

KETEU70

418,37

418,37



LOAD/UNLOAD TRAYS TABLE FOR SIDE-LOADING DISHWASHER

baskets load/unload table in stainless steel, with undershelf, suitable to be connected to electronic pass-through dishwashers.

Dimensions: 70x57,5x85 cm Packing: 80x65x90 cm Net Weight: 40 kg Gross Weight: 45 kg

Total Position 287: 418,37 €

L31-1288.112L14DL

776,82

7

776,82



OPEN SINK 1 BOWL CM 40X50X25H RIGHT DRAINER

18-10 stainless steel radiused and pressed top with satin finish and rear splashback pressed bowl with a continuous weld bead to form a waterlight seal. 18-10 stainless steel cabinet with sink cover panel and18-10 stainless steel tubular legs. 50 mm ø. pre-arranged for dishwasher.

Dimensions: 120x70x90 cm Packing: 125x50x75 cm Net Weight: 28 kg Gross Weight: 30 kg

L31-1288.2 DFCEG1

426,64

426,64

Spraygun with mixer tap, leverage 220, spout 225 spraygun, one-hole, with mixer tap, leverage 220, spout 225

Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg Gross Weight: 9 kg





Area L31-14 14 - DISH WAS	H		
Area	Position	Net Price	Quantity Amount €

L31-1288.3 CEG

195,22

195,22





elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks.

Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg

L31-1288.406RF

95,23

95,23

UNDERSHELF 60 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega.180 mm clearance between floor and shelf.



Dimensions: 44,2x58,2x5 cm Packing: 52x63x6 cm Net Weight: 4 kg Gross Weight: 5 kg

L31-1288.5 KSV25P

81,32

81,32

WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm sink drainage kit including stainless steel overflow pipe, chromium-plated brass drainand plastic siphon. suitable for 25 cm, h bowls.



Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 288: 1.575,23 €

L31-1289. KN50PS 2.676,07

2.676,07

THREE-PHASED FRONT LOADING DISHWASHER 30 BASKETS/HOUR WITH DRAIN PUMP

Total Position 289: 2.676,07 €





Area L31-14 14 - DISH WASH

Area Position

Net Price

Quantity Amount €

L31-1291. LSF5918

613,66

613,66



POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180

modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher. the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins, etc..

Dimensions: 100x50x180 cm

Packing: 0x0x0 cm Net Weight: 26 kg Gross Weight: 29 kg

Total Position 291: 613,66 €

L31-12492.

KR-CPP4

1.908,88

3.817,76

DISH TROLLEY

Total Position 292: 3.817,76 €

L31-1293. CPC

615,25

2

1.230,50



stainless steel trolley. complete with drop bowl and with swivellingwheels.



Dimensions: 63,9x75,5x90 cm Packing: 65x55x100 cm Net Weight: 14 kg Gross Weight: 15 kg

Total Position 293: 1.230,50 €

L31-1294. EI

ELMG

394,83

394,83



WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED

aisi 304 stainless steel top, h = 40 mm, thickness 0.8 mm. pressed well made in aisi 304 stainless steel, 0.8 thickness, diametre 340, height 135mm. rear splashback h = 30 mm. supporting structure closed by stainless steel panels, thickness 0.8 mm. delivered with: button, timed water tap and siphon drain.endowed with mixing valve cold/hot.

Dimensions: 40x40x25 cm Packing: 50x41x40 cm Net Weight: 6 kg Gross Weight: 7 kg





Area Posit Total Position 294: 394,83 €

Total Area 14 - DISH WASH: 25.455,88 €





Area L32-01 01 - GRI	LL AREA				
	Area Posit	tion	Net Price	Quantity	Amount €
	L32-02.	XT70L REFRIGERATOR -2°C ÷ +8°C GN 2/1 refrigerator with internal and external on stainless steel. storage chamber made formed internal sides, 20 levels. venti positioned inside the refrigerating chathermometer-thermostat. electric defrosting standard with: n. 3 plastic-coated grids.	2.518,78 ne-piece stru of aisi 304 lated cooling amber. config. each com	cture mad stainless s g system trol panel partment is	e of aisi 304 steel, pressed , evaporator with digital s delivered as
					2.518,78 €
	L32-0 3 .	CONTINUOUS SURFACE WITH REAL 18-10 stainless steel radiused top, 54 mm deadening, water-fireproof panel underned cupboard, cabinet with drawers or refrigeral Dimensions: 160x70x14 cm Packing: 72x162x22 cm Net Weight: 39 kg Gross Weight: 40 kg PUV5050 BOWL TO WELD CM 50X50X25 one piece top system to install the welded drawing with the technical quotes and with	h, 12/10 thick ath. suitable ted tables. 423,72 ed bowl . it i	BACK 160 c, with sating to be, co	n finish. sound ompleted with 423,72
	L32-0 3 .	Dimensions: 50x25x50 cm Packing: 50x25x50 cm Net Weight: 6 kg Gross Weight: 6 kg CEG	195,22	1	195,22
	LUZ-UJ.	HOT/COLD WATER MIXER TAP ELBO elbow operated mixer tap with long-lever neck.suitable for sinks. Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg	OW OPERA	ATED	





Area L32-01 01 - GR	ILL ARE	ĒΑ			
	Area	Posit	ion	Net Price	Quantity Amount €
	L32-	03.1	AT04Z HOPPER FOR CONTINUOUS WORK 18-10 stainless steel cabinet with satin fini hingedremovable door. Dimensions: 40x70x66 cm		
	L32-	03.2	Packing: 83x43x112 cm Net Weight: 45 kg Gross Weight: 50 kg AC04Z4 DRAWER UNIT WITH 4 DRAWERS 18-10 stainless steel free-standing structure stainless steeltelescopic guides for 100 mm		
			Dimensions: 40x70x66 cm Packing: 83x43x112 cm Net Weight: 30 kg Gross Weight: 35 kg		
	L32-	03.3	PUSL08 CUPBOARD FOR BOWL WITHOUT W free- standing structure in aisi 304 satin-fini hinged door. suitable to be fixed under th the welded bowl. open backside preset to h Dimensions: 80x70x81 cm Packing: 84x74x95 cm	ished stainles e continuous	ss steel, with double-skin s top system, supporting
	L32-	03.3	Net Weight: 50 kg Gross Weight: 60 kg KSV25P WASTE TRAP OVERFLOW PIPE KIT sink drainage kit including stainless steel of drainand plastic siphon. suitable for 25 cm,	verflow pipe	
			Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg	Total P	osition 3: 3.838,81 €





Area L32-01 01 - GRILL AREA

Area Position

Net Price


Quantity Amount €

L32-05.

5DBA

3.796,36

7.592,72





refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation, control panel with electronic circuit board, haccp alarms signaling, worktop made in aisi 304 stainless steel with rear splashback. 3 doors. energy class: a.

Dimensions: 185x70x98,5 cm Packing: 192x76x100 cm

Electric Power: 0,37 kW

Net Weight: 138 kg Gross Weight: 150 kg

Total Position 5: 7.592,72 €

L32-06.

A16A1

1.705,58

1.705,58



CUPBOARD ONE SIDE SLIDING DOORS, REAR SPLASHBACK

18-10 stainless steel free-standing structure with satin finish.sliding doors with double walled sand wich panel structure. middle shelf reinforced by omega.steel height-adjustable feet.18-10 stainless steel one-sided radiused top with satin finish, 60 mm h., 12/10 thick, integral rear splashback.

Dimensions: 160x70x90 cm Packing: 160x75x100 cm Net Weight: 100 kg Gross Weight: 110 kg


Total Position 6: 1.705,58 €

L32-08.

A18A1E

2.511,29

2.511,29



18-10s/s free-standing structure with satin finish sliding doors with double walled sandwich-panel structure. middle shelf reinforced by omega. steel heightadjustable feet.18-10 s/s top, satin finish 60 mm h,12/10 thick,one-sided radiused, rear splash back. ventilated heating, thermostatic control.



Electric Power: 2 kW Dimensions: 180x70x90 cm

Packing: 180x75x95 cm Net Weight: 100 kg Gross Weight: 110 kg

Total Position 8: 2.511,29 €

L32-011.

1G0GRE

3.183,25

9.549,75

ELECTRIC GRILL

made of 18-10 stainless steel, top 12/10 thickness. enamelled cast iron griddle. heating by two independent tilting electric heating groups. well filling by an instable button and electromagnetic valve. well capacity: 10 lt (overflow). complete with stainless steel splash guards and cleaning brush. it is possible to

connect the grill to the drain system with the accessory kit ksftgr.



Dimensions: 70x70x24 cm Packing: 74x82x68 cm Net Weight: 65 kg Gross Weight: 70 kg

Electric Power: 7,7 kW





Area L32-01 01 - GRILL AREA

Area Position

Net Price

Quantity Amount €

L32-011.1 1GIVG

585,29

1.755,87



UNDER COMPARTMENT - OPEN VERSION

free-standing frame to support gamma range tops. side panels, base and inside in stainlesssteel aisi 304 18/10. height-adjustable 18-10 stainless steel feet. it can be fitted with pair of pan runners mod. xgigb and hinged doors.

Dimensions: 70x70x66 cm Packing: 76x82x68 cm Net Weight: 16 kg Gross Weight: 18 kg

L32-011.2 9KFP5

79,18

237,54



JOINING KIT ATTACHMENT COVERS

cover panels for fixture to rear surface in polished welded aluminium. kit comprises panels to cover up to five elements.

Dimensions: 20x10x2 cm Packing: 20x10x2 cm Net Weight: 0,3 kg Gross Weight: 0,4 kg

L32-013. 0G0TN

Total Position 11: 11.543,16 €

572,45



NEUTRAL ELEMENT

aisi 304 18 - 10 stainless steel with 12/10 top, with satin finish and medium scotchbrite brushed polish. free-standing box section structure suitable for all applications. possible for use as support surface for cooking tops.

Dimensions: 35x70x24 cm Packing: 40x82x38 cm Net Weight: 15 kg Gross Weight: 18 kg

L32-0**1**3.1 0GIVG

440,84 881,68

free-standing frame to support gamma range tops. side panels, base and inside in stainlesssteel aisi 304 18-10. internal dimensions mm 328 x 548 x 349 h.

height-adjustable 18-10 stainless steel feet.

UNDER COMPARTMENT - OPEN VERSION



Dimensions: 35x70x66 cm Packing: 76x42x68 cm Net Weight: 13 kg Gross Weight: 15 kg

Total Position 13: 2.026,58 €





Area L32-01 01 - GRILL AREA

Area Position

Net Price

Quantity Amount €

L32-0**1**4.

1G0FA0

1.765,77

1.765,77



4 BURNER GAS RANGE

burner gas boiling range made of aisi 304 stainless steel, 12/10 mm thickness top. top grids and burners in enamelled cast iron. valve controlled removable burners with double and single crown burner cap. pilot light and thermocouple. radiused and liquid-tight burner recess.

Dimensions: 70x70x24 cm Packing: 82x82x68 cm Net Weight: 43 kg Gross Weight: 51 kg

L32-0**1**4.1

1GIVG

585,29

585,29



UNDER COMPARTMENT - OPEN VERSION

free-standing frame to support gamma range tops. side panels, base and inside in stainlesssteel aisi 304 18/10. height-adjustable 18-10 stainless steel feet. it can be fitted with pair of pan runners mod. xgigb and hinged doors.

Dimensions: 70x70x66 cm Packing: 76x82x68 cm Net Weight: 16 kg Gross Weight: 18 kg

Total Position 14: 2.351,06 €

L32-015.

0G0FR5G

2.157,12

2.157,12



GAS FRYER 1 WELL 7 L V SHAPED

fryer made of aisi 304 stainless steel, 12/10 mm thickness top. pressed "v" well without burner in - sealed into top, generously coved with large drain zone; each well delivered with 1 basket and 1 lid. mechanical controls. temperature controle through thermostat 100-190°c. heat exchange pipes outside the well. piezoelectric ignition of the pilot light.

Dimensions: 35x70x24 cm Packing: 82x41x68 cm Net Weight: 27 kg Gross Weight: 32 kg

L32-0**1**5.1 0GIVG 440,84

440,84



UNDER COMPARTMENT - OPEN VERSION

free-standing frame to support gamma range tops. side panels, base and inside in stainlesssteel aisi 304 18-10. internal dimensions mm 328 x 548 x 349 h. height-adjustable 18-10 stainless steel feet.

Dimensions: 35x70x66 cm Packing: 76x42x68 cm Net Weight: 13 kg Gross Weight: 15 kg

Total Position 15: 2.597,96 €





Area L32-01 01 - GRILL AREA

Area Position

Net Price

Quantity Amount €

L32-0**1**6.

KP1344

5.231,23

5.231,23



WALL HOOD WITH LABYRINTH FILTER CUBIC OUTLINE

18-10 stainless steel hood with satin finish. complete with 8 labyrinth fiiters made of 18-10 stainless steel, removable for cleaning purposes. exhaust flow-rate: 6150 mc/h. hood separated in two pieces for ease of installation.

Dimensions: 440x130x40 cm Packing: 225x145x100 cm Net Weight: 156 kg Gross Weight: 170 kg

Total Position 16: 5.231,23 €

L32-017.

ELMG

394,83

394,83



WALL MOUNTED HAND WASH BASIN, KNEE LEVEL OPERATED

aisi 304 stainless steel top, h = 40 mm, thickness 0.8 mm. pressed well made in aisi 304 stainless steel, 0.8 thickness, diametre 340, height 135mm. rear splashback h = 30 mm. supporting structure closed by stainless steel panels, thickness 0.8 mm. delivered with: button, timed water tap and siphon drain.endowed with mixing valve cold/hot.

Dimensions: 40x40x25 cm Packing: 50x41x40 cm Net Weight: 6 kg Gross Weight: 7 kg

Total Position 17: 394,83 €

Total Area 01 - GRILL AREA: 42.312,00 €





Area L32-02 02 - BAR

Area Position **Net Price** Quantity Amount €

L32-027.0 CLASSE 5 USB

7.259,95 7.259,95



CLASSE 5 USB TALL

3gr: 2 filter-holder for two coffees and 1 filter-holder for one coffee / 2gr: 1 filterholder for two coffees and 1 filter-holder for one coffee, 2 steam wands, 1 hot water dispenser, cleaning discs, adjustable feet

Dimensions: 77x54x52 cm

Electric Power: 6 kW

Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

Total Position 27: 7.259,95 €

L32-0**2**9.0 **KRYO_65_OD**

1.323,59 1.323,59

Total Position 29: 1.323,59 €



KRYO_65_OD

kryo 65 od (on demand) is fitted with high-capacity 64 mm-diameter mills, ensuring production of 3.5 g/second. grinding is instant, and takes place directly in the filter holder, ensuring a fresh, correctly dosed product. the ergonomic design and quality of the material provide excellent stability even in situations of intense use. grinding speed, precise dosing, and a clear, intuitive user interface make kryo 65 od the ideal grinder-doser for high-quality espresso-based beverages.

Dimensions: 8,7x15,1x22,6 cm

Electric Power: 0,45 kW

Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

L32-039. 569,21 **APOLLOVV**

Electric citrus juicer with lever

commercial easy to use citrus juicer with chrome body, no edges or seams for easy cleaning, stainless steel bowl is removable for cleaning and is dishwasher safe, reamer and sieve are one piece to squeeze with the maximum efficiency, patented safety microswitch on the cone allows to activate the juicer when the product is pushed down, aluminium stainless steel lever.

Dimensions: 27x21x16 cm

Electric Power: 0.2 kW

Packing: 28x22x37 cm Net Weight: 3,5 kg Gross Weight: 5 kg

Total Position 39: 569,21 €



L32-020. J80ULTRA

2.262,60 EL. AUTOMATIC JUICERS, PRODUCTION CAPACITY 120L/H

"automatic juicers.patented automatic feed tube with a diameter of 79 mm for continuous throughput and hassle-free juicing.heavy duty operation all day long.pulp ejected into a 6,5 litre large capacity container with translucent sides to monitor pulp levels.drip tray.the powerful heavy duty motor operates at a speed of 3.000 rpm for a production of up to 120 l/h. useful height under the

spout.

Dimensions: 23,5x42x50,5 cm

Electric Power: 0.7 kW

Packing: 0x0x0 cm Net Weight: 10,9 kg Gross Weight: 12,8 kg

Total Position 40: 2.262,60 €

2.262,60





Area L32-02 02 - BAR

Area Position **Net Price** Quantity Amount €

ORIONFI L32-021.

1.481,71

1.481,71



Blender with 1 stainless steel glass capacity 5 lt

commercial blender extruded aluminium body and abs sides 1 glass. powerful ventilated motor for a longer use and life, transparent, unbreakable 2 lt lexan container is dishwasher safe and graduated with litres, tight polyester lid with feed opening to add ingredients while the blender is working, magnetic safety microswitch on the lid.

Dimensions: 26x25x54 cm Packing: 30x30x60 cm

Net Weight: 7 kg Gross Weight: 9 kg Electric Power: 0.8 kW

Total Position 41: 1.481,71 €

L32-042. SIRVVB 391,54

391,54



Counter drink mixer 1 glass

counter drink mixer with white or chrome head, aluminium stem and die casting base for a perfect stability. transparent 650 cc lexan cup or stainless steel cup. powerful ventilated motor for a longer life. spindle with three aluminium and s/steel agitators for preparing cocktails and drinks, or with a special round agitator for frozen coffees or for creamier results. speed control

Dimensions: 20x15x49 cm Packing: 24x19x51 cm

Net Weight: 2,5 kg Gross Weight: 5 kg Electric Power: 0,1 kW

Total Position 42: 391,54 €



4986310

367,49

367,49



BENCH DIGITAL SCALE, CAPACITY 10 KG, DIVISION 1 g

countertop bench digital scale, capacity 10 kg, division 1 gramme. 3 batteries type aa 1,5 v (not included), adapter dc 6v 300ma upon request.

Dimensions: 24x18x0 cm Packing: 0x0x0 cm

L32-0**2**4.a **TRITON**

1.071,52

Total Position 43: 367,49 €

1.071,52

Ice crusher capacity 2 It

ice crusher allows to crush ice in different sizes by adjusting the blade, provided of safety microswitch on the feeding mouth, safety microswitch on the collecting tray, polished aluminium feeding mouth, stainless steel parts and details, aluminium and stainless steel internal structure, body and tray are made from thermoformed alimentary plastic

Dimensions: 21x47x30 cm Packing: 54x27x31 cm Net Weight: 8,4 kg Gross Weight: 10 kg

Electric Power: 0,4 kW





Area L32-02 02 - BAR

Area Position **Net Price** Quantity Amount €

L32-024.

WKTD2NVA

2.483,04

2.483,04



Water boiler 20l for counters water conn.

water boiler for use on a counter, double walled. with water connection. with gauge glass, adjustable thermostat 0 - 97°c, dry-boil safety guard and no-drip tap. capacity 20l. hour capacity 30l.

Dimensions: 0x35,5x51,5 cm

Electric Power: 3,2 kW

Packing: 0x0x0 cm

Total Position 44: 3.554,56 €

L32-025.

MV426AS

4.425,52

4.425,52

ICE CUBE MAKER 225 kg/24 H

L32-025. **SB193** 1.569,69

1.569,69

ICE STORAGE CONTAINER, 129 KG CAPACITY

L32-046.

EX70TPV

3.064,48

Total Position 45: 5.995,21 € 3.064,48



REFRIGERATOR WITH GLASS DOOR 0°C ÷ +10°C GN 2/1

refrigerator with internal and external one-piece structure made of aisi 304 stainless steel. storage chamber equipped with shelf supports in aisi 304 stainless steel, 20 levels. ventilated cooling system, evaporator positioned inside the refrigerating chamber, air defrosting. control panel with digital thermometer-thermostat. 1 double glazed door, each compartment is delivered as standard with: n. 3 pairs of aisi 304 stainless steel guides and n. 3 plastic-

Dimensions: 75x83,5x204 cm Packing: 79x85,5x213 cm Net Weight: 125 kg Gross Weight: 140 kg

Electric Power: 0.27 kW

Total Position 46: 3.064,48 €





Area Posit Total Area 02 - BAR: 26.270,34 €





Area L32-03 03 - DISI					
	Area Posit	ion	Net Price	Quantity	Amount €
	L32-0 3 5.	20TB	628,09	1	628,09
		TABLE WITH DOUBLE-SIDED SURFA aisi 304 stainless steel top 54 mm h wi sound deadening waterproof panel und structure of the work table guarantees suit (uniformly distributed).	ith satin finis Ierneath. t	sh 12/10 he excep	tionally sturdy
1		Dimensions: 200x70x90 cm Packing: 204x72x23 cm Net Weight: 58 kg			
		Gross Weight: 63 kg	Total P	osition !	55: 628,09 €
	L32-0 5 6.	MPM110	853,27	1	853,27
	202 000.		,		
		WALL BASKET SHELF wall stainless steel shelf. useful to basket s loading in the sloping part.	storage in the	upper par	t and to basket
		Dimensions: 100x65x45 cm			
		Packing: 70x75x80 cm Net Weight: 45 kg Gross Weight: 50 kg			
		Cross Weight. 30 kg	Total P	osition !	6: 853,27 €
	L32-0 5 7.	KE70A	4.121,64	1	4.121,64
©=		FRONTLOADING ELECTRONIC DISH double skin front-loading dishwasher with device. productivity: 60 baskets/h. 8 washir (among those, sanitization/medical). standard rinse-aid dispenser and bluewater continuous softener. included: basket, bas	n atmospheri ng programs dard supplied water clea	c boiler a that can b d drain pu ning devi	and break-tank e personalized amp, detergent ce. integrated
		Dimensions: 60x60x82 cm Electric Packing: 69x67x98 cm Net Weight: 55 kg Gross Weight: 63 kg	ic Power: 5,4 k	W	
		Cross Wolghi. So Ng	Total Po	sition 57	: 4.121,64 €
	L32-0 5 8.	5K00164	254,81	1	254,81
		MOBILE REFUSE BIN WITH PEDAL 1 Dimensions: 47,5x47,5x72 cm Packing: 51x51x78 cm	100 LITERS		
		Net Weight: 10 kg Gross Weight: 13 kg			
			Total B	osition !	S2. 25/ 21 €

Total Position 58: 254,81 €





Area L32-03 03 - DISHWASH

Area Position

Net Price

Quantity Amount €

L32-0**5**9.1 **KETP12FD**

1.309,68

1.309,68



PRE-WASH SIDE TABLE, BOWL, HOLE ON THE RIGHT

18-10 stainless steel table with satin finish, for side-loading dishwasher, hole for waste with rubber ring, undershelf, pre-wash bowl and rear splashback. complete with overflow pipe and siphon. to complete with water filler tap or shower.

Dimensions: 120x71,5x85 cm Packing: 125x75x45 cm Net Weight: 25 kg Gross Weight: 28 kg

L32-059.2 **DFCEG1**

426,64

426,64

Spraygun with mixer tap, leverage 220, spout 225 spraygun, one-hole, with mixer tap, leverage 220, spout 225



Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg Gross Weight: 9 kg

Total Position 59: 1.736,32 €

L32-061.

KE130A

5.895,03

5.895,03



PASS-THROUGH ELECTRONIC DISHWASHER 72 BASKETS/HOUR

pass-through dishwasher, double-walled capote; with atmospheric boiler and break tank. productivity: 72 baskets/h. 8 washing programs that can be personalized (among those, sanitization/medical). standard supplied drain pump, detergent and rinse-aid dispenser and bluewater water cleaning device. integrated continuous softener. included: basket, basket for plates and insert for cutlery.

Dimensions: 72x84x157 cm Packing: 87x76x154 cm Net Weight: 100 kg

Electric Power: 8.7 kW

KVP1010

Total Position 61: 5.895,03 €

L32-062.

Gross Weight: 110 kg

1.232,64

1.232,64



WALL STEAM EXHAUSTING HOOD

18-10 stainless steel hood, satin finished. laminar air intake to separate fat drops and condensate wet steam.liquid collection into integral perimeter gutters equipped with drain connection. exhaust flow-rate: 800 mc/h.

Dimensions: 100x100x40 cm Packing: 110x60x115 cm Net Weight: 40 kg Gross Weight: 50 kg

Total Position 62: 1.232,64 €





Area L32-03 03 - DISHWASH

Area Position

Net Price

Quantity Amount €

L32-0**6**3.

KETEU70

418,37

418,37



LOAD/UNLOAD TRAYS TABLE FOR SIDE-LOADING DISHWASHER

baskets load/unload table in stainless steel, with undershelf, suitable to be connected to electronic pass-through dishwashers.

Dimensions: 70x57,5x85 cm Packing: 80x65x90 cm Net Weight: 40 kg Gross Weight: 45 kg

Total Position 63: 418,37 €

L32-064.

LSF51218

649,16

649,16

POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180

modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher, the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins,

etc..

Dimensions: 130x50x180 cm

Packing: 0x0x0 cm Net Weight: 31 kg Gross Weight: 34 kg

Total Position 64: 649,16 €

L32-096.

VCO30100

829,25

829,25



GRATE FLOOR DRAIN 30X100, HORIZ, OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h. removable stainless steel filter for all models. wastewater collection at centre.

Dimensions: 104,5x34,5x16 cm Packing: 106,5x36,5x18 cm Net Weight: 13,6 kg Gross Weight: 13,9 kg

Total Position 96: 829,25 €

Total Area 03 - DISHWASH: 16.618,58 €





Area L32-04 04 - BANQUET PANTRY

L32-0**7**43.

Area Position **Net Price** Quantity Amount € 230,03 230,03

MOBILE REFUSE BIN WITH PEDAL 50 LITERS

Dimensions: 39,5x39,5x62 cm Packing: 42,5x42,5x66,5 cm

Net Weight: 9 kg Gross Weight: 10 kg

5K00151

Total Position 73: 230,03 € L32-0744. 3.142,59 5DAA 3.142,59

> REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WORKTOP refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation. control panel with electronic circuit board, haccp alarms signaling. worktop made in aisi 304 stainless steel with rear splashback. 2 doors. energy class: a.

Dimensions: 140x70x98,5 cm Electric Power: 0,24 kW

Packing: 146x76x100 cm Net Weight: 108 kg Gross Weight: 118 kg

Total Position 74: 3.142,59 €

L32-0745. 2.151,77 AFT30S

> SLICING MACHINE WITH SLOPING BLADE Ø 300 MM anodized aluminium-alloy body, stainless steel blade. a safety microswitch is installed on theblade guard complete with blade sharpener and safety microswitch.belt drive.3-phase functioning.

Dimensions: 68x58x43 cm Electric Power: 0.24 kW

Packing: 75x45x55 cm Net Weight: 34 kg Gross Weight: 35 kg

L32-0746. EA12B1 1.142,81 1.142,81

CUPBOARD WITH SLIDING DOORS, DOUBLE SIDE TOP

aisi 304 stainless steel top, thickness 0,8 mm, 40 mm h. sound deadening, water-fireproof chipboard panel underneath. standing-structure with stainless steel panels. internal shelf in stainless steel thickness 0,8 mm, 3 height adjustable. sliding double-skin doors, soundproofing, in aisi 304. tubular legs stainless steel ø50mm. stainless steel feet, height adjustable 60mm.

Dimensions: 120x70x90 cm Packing: 120x70x100 cm Net Weight: 58,9 kg Gross Weight: 62 kg

Total Position 76: 1.142,81 €

Total Position 75: 2.151,77 €





239,09

Total Position 80: 7.259,95 €

- Btumi Orbi Tower Ginza Restaurant

Area L32-04 04 - BANQUET PANTRY

Area Position **Net Price** Quantity Amount €

ARP1604 L32-0748. 239,09

Stainless steel AISI304 wall shelf, 160 cm

height adjustable wall shelf built entirely of aisi304 stainless steel, scotchbrite finishing 8/10 mm thickness. edges folded to avoid hand cuttings, rear splashback protects the wall and facilitates cleaning operations, complete with three rack supports.

Dimensions: 160x40x5 cm Packing: 162x42x6 cm Net Weight: 8 kg Gross Weight: 8,3 kg

Total Position 78: 239,09 € 7.259,95

L32-080. 7.259,95 CLASSE_5_USB

CLASSE 5 USB TALL

3gr: 2 filter-holder for two coffees and 1 filter-holder for one coffee / 2gr: 1 filterholder for two coffees and 1 filter-holder for one coffee, 2 steam wands, 1 hot water dispenser, cleaning discs, adjustable feet

Electric Power: 6 kW Dimensions: 77x54x52 cm

Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

L32-0\forall1. 1.323,59 KRYO_65_OD 1.323,59

KRYO_65 OD

kryo 65 od (on demand) is fitted with high-capacity 64 mm-diameter mills, ensuring production of 3.5 g/second. grinding is instant, and takes place directly in the filter holder, ensuring a fresh, correctly dosed product, the ergonomic design and quality of the material provide excellent stability even in situations of intense use, grinding speed, precise dosing, and a clear, intuitive user interface make kryo 65 od the ideal grinder-doser for high-quality espresso-based beverages.

Dimensions: 8,7x15,1x22,6 cm Electric Power: 0,45 kW

Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

Total Position 81: 1.323,59 €

L32-082. WKTD2NVA 2.422,48 2.422,48

Water boiler 20l for counters water conn.

water boiler for use on a counter, double walled. with water connection. with gauge glass, adjustable thermostat 0 - 97°c, dry-boil safety guard and no-drip tap. capacity 20l. hour capacity 30l.

Dimensions: 0x35,5x51,5 cm Electric Power: 3,2 kW

Packing: 0x0x0 cm





Area Posit Total Position 82: 2.422,48 €

Total Area 04 - BANQUET PANTRY: 17.912,31 €





Area L32-05 05 - DISHWASH PANTRY		
Area Position	Net Price	Quantity Amount €
L32-085. 14TAFD SP	708,34	1 708,34

table with hole, no splashback, 140x70 +20% respect to standard

L32-0**8**5.1 **10RF**

127,33

127,33

UNDERSHELF 100 CM

18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf.



Dimensions: 84,2x58,2x5 cm Packing: 92x63x6 cm Net Weight: 7 kg Gross Weight: 8 kg

Total Position 85: 835,67 €

L32-0**8**6. 5K00500

192,73

192,73

MOBILE REFUSE BIN 70 LITERS

Dimensions: 39,5x39,5x73 cm Packing: 42,5x42,5x75 cm Net Weight: 10 kg Gross Weight: 11 kg

Total Position 86: 192,73 €

L32-088.

KE70A

4.121,64

4.121,64



FRONTLOADING ELECTRONIC DISHWASHER 60 BASKETS/HOUR

double skin front-loading dishwasher with atmospheric boiler and break-tank device. productivity: 60 baskets/h. 8 washing programs that can be personalized (among those, sanitization/medical). standard supplied drain pump, detergent and rinse-aid dispenser and bluewater water cleaning device. integrated continuous softener. included: basket, basket for plates and insert for cutlery.

Dimensions: 60x60x82 cm Packing: 69x67x98 cm Net Weight: 55 kg

Electric Power: 5,4 kW

Gross Weight: 63 kg

Total Position 88: 4.121,64 €





Area L32-05 05 - DISHWASH PANTRY

Area Position

Net Price

Quantity Amount €

L32-0**8**9.

LSF51718

819,55

819,55



POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180

modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher, the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins, etc..

Dimensions: 180x50x180 cm

Packing: 0x0x0 cm Net Weight: 43 kg Gross Weight: 46 kg

Total Position 89: 819,55 €

L32-0**9**1.

15TA

661,34

661,34

TABLE WITH REAR SPLASHBACK 150 CM

L32-0**9**1.0 **15RF**

155,74

155,74

UNDERSHELF 150 CM

L32-092.1 14L16SL

930,04


930,04

Total Position 91: 817,08 €



OPEN SINK 1 BOWL CM 60X50X32.5H LEFT DRAINER

18-10 stainless steel radiused and pressed top with satin finish and rear splashback pressed bowl with a continuous weld bead to form a waterlight seal. 18-10 stainless steel cabinet with sink cover panel and 18-10 stainless steel tubular legs. 50 mm ø. pre-arranged for dishwasher.









Area L32-05 05 - DIS	HWASH	I PAN	TRY			
	Area	Positi	on	Net Price	Quantity	Amount €
	L32-	0 9 2.2	DFCEG1 Spraygun with mixer tap, leverage 220, spraygun, one-hole, with mixer tap, leverage			426,64
			Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg Gross Weight: 9 kg			
	L32-	0 9 2.3	CEG	195,22	1	195,22
			HOT/COLD WATER MIXER TAP ELBO elbow operated mixer tap with long-lever eneck.suitable for sinks.	_		ng extendable
-Ju			Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg			
	L32-	0 9 2.4	UNDERSHELF 80 CM 18-10 stainless steel sheet undershelf wi omega. 180 mm clearance between floor and		1 nish. it is	reinforced by
			Dimensions: 64,2x58,2x5 cm Packing: 72x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg			
	L32-	0 9 2.5	WASTE TRAP OVERFLOW PIPE KIT F sink drainage kit including stainless steel ow drain and plastic siphon. suitable for 32.5 cm	erflow pipe	 -S h 32,5	
			Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg			
						1.748,78 €
			Total Area 05 - DIS	SHWASH	PANTRY:	8.535,45 €





Area L32-06 06 - GRIDS

Area Position **Net Price Quantity Amount €** L32-0**9**5. 450,47

VO3030

1.801,88



GRATE FLOOR DRAIN 30X30, HORIZ. OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h. removable stainless steel filter for all models.

Dimensions: 34,5x34,5x16 cm Packing: 36,5x36,5x18 cm

Net Weight: 6 kg Gross Weight: 6,3 kg


Total Position 95: 1.801,88 €


L32-097.

VCO30100

829,25

2.487,75





Dimensions: 104,5x34,5x16 cm Packing: 106,5x36,5x18 cm Net Weight: 13,6 kg Gross Weight: 13,9 kg

Total Position 97: 2.487,75 €

Total Area 06 - GRIDS: 4.289,63 €







	Area Posit	Net Price	Quant	ity Amount €	
	L33-0 1 .	20UA	476,15	1	476,15
		CONTINUOUS SURFACE WITH REAR SPLASHBACK 200 CM 18-10 stainless steel radiused top, 54 mm h, 12/10 thick, with satin finish. so deadening, water- fireproof panel underneath. suitable to be, completed v cupboard, cabinet with drawers or refrigerated tables.			
U		Dimensions: 200x70x14 cm Packing: 204x72x23 cm Net Weight: 48 kg Gross Weight: 50 kg			
	L33-0 1 .	PUSL06	857,07	1	857,07
		CUPBOARD FOR BOWL WITHOUT \ free- standing structure in aisi 304 satin-fir hinged door. suitable to be fixed under the welded bowl. open backside preset to	nished stainle ne continuous	ss steel, s top sy	with double-skin stem, supporting
		Dimensions: 60x70x81 cm Packing: 64x74x95 cm Net Weight: 40 kg Gross Weight: 50 kg			
	L33-0 1 .1	PUV5050	423,72	1	423,72
		BOWL TO WELD CM 50X50X25 one piece top system to install the weld drawing with the technical quotes and with			
		Dimensions: 50x25x50 cm Packing: 50x25x50 cm Net Weight: 6 kg Gross Weight: 6 kg			
	L33-0 1 .2	CEG	194,74	1	194,74
		HOT/COLD WATER MIXER TAP ELBOW OPERATED elbow operated mixer tap with long-lever elbow con trol and long ext neck.suitable for sinks.			

Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg





Area L33-01 01 - PANTRY Area Position **Net Price** Quantity Amount €

KSV25P L33-01.3

81,32

81,32

WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 25 cm sink drainage kit including stainless steel overflow pipe, chromium-plated brass

drainand plastic siphon. suitable for 25 cm, h bowls.



Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 1: 2.033,00 €

L33-02. 649,49 1.298,98 MD100404

WALL SHELF DOUBLE TIER

Total Position 2: 1.298,98 € L33-04. 5K00151 230,03 230,03

MOBILE REFUSE BIN WITH PEDAL 50 LITERS

Dimensions: 39,5x39,5x62 cm Packing: 42,5x42,5x66,5 cm

Net Weight: 9 kg Gross Weight: 10 kg

Total Position 4: 230,03 €

5DA REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WITHOUT

refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation, control panel with electronic circuit board, haccp alarms signaling. without top. 2 doors. energy class: a.

Dimensions: 140x70x84 cm Packing: 146x76x90 cm Net Weight: 87 kg Gross Weight: 97 kg

Electric Power: 0,24 kW

2.808,75

L33-05.

2.808,75






Area Posit Total Position 5: 2.808,75 €

L33-08.

40

1.804,15 1



monoblock sheel. exterior in vx-pet steel "fingerprint-resistance". interior in thermoformed plastic material ps with st/st pressed runners and shelf supports.cooling with roll-bond evaporator. electronic thermometer/thermostat. defrosting system by air. single compartment 400 l capacity.

Electric Power: 0,25 kW

Dimensions: 70x63x164 cm Packing: 75x66,5x179,5 cm

Net Weight: 75 kg
Gross Weight: 85 kg

Total Position 8: 1.804,15 €

1.804,15

L33-025. VO3030 450,47 1 450,47

GRATE FLOOR DRAIN 30X30, HORIZ. OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h. removable stainless steel filter for all models.

Dimensions: 34,5x34,5x16 cm Packing: 36,5x36,5x18 cm

Net Weight: 6 kg Gross Weight: 6,3 kg

Total Position 25: 450,47 €

Total Area 01 - PANTRY: 8.625,38 €







bcompany

- Btumi Orbi Tower Ginza Restaurant

Area L33-02 02 - DISHWASH						
Area Position	Net Price	Quantity Amount €				
L33-0 2 5.1 15TB SP	573,52	1 573,52				

SPECIAL TABLE 150X70 WITH HOLE +20% RESPECT TO STANDARD

L33-025.2 **LAV-FOP23**

139,10

139,10

WORK TOP HOLE - 23 CM

L33-0**2**6. **5K00151**

235,78 1

Total Position 15: 712,62 €

235,78

MOBILE REFUSE BIN WITH PEDAL 50 LITERS



Dimensions: 39,5x39,5x62 cm Packing: 42,5x42,5x66,5 cm

Net Weight: 9 kg Gross Weight: 10 kg

Total Position 16: 235,78 €

L33-028. **KE70A**

4.121,64 1 4.

4.121,64



FRONTLOADING ELECTRONIC DISHWASHER 60 BASKETS/HOUR double skin front-loading dishwasher with atmospheric boiler and break-tank

device. productivity: 60 baskets/h. 8 washing programs that can be personalized (among those, sanitization/medical). standard supplied drain pump, detergent and rinse-aid dispenser and bluewater water cleaning device. integrated continuous softener. included: basket, basket for plates and insert for cutlery.

Dimensions: 60x60x82 cm Packing: 69x67x98 cm Net Weight: 55 kg Electric Power: 5,4 kW

Gross Weight: 63 kg

Total Position 18: 4.121,64 €





Area L33-02 02 - DIS	HWASH					
	Area	Posit	ion	Net Price	Quantit	ty Amount €
	L33-0	2 9.	SRCA150 SHELVING FOR COLD ROOM shelf made with n.4 rack shelves in a uprights and elements for fixing.	677,31 nodized alun	1 ninium (2	677,31 20 micron), n.2
Y			Dimensions: 156,9x37,3x174 cm Packing: 155x40x70 cm Net Weight: 33 kg Gross Weight: 35 kg	Total F	Position	19: 677,31 €
	L33-0	2 0	MPM110	853,27	1	853,27
			WALL BASKET SHELF wall stainless steel shelf. useful to basket loading in the sloping part.		eupper pa	
			Dimensions: 100x65x45 cm Packing: 70x75x80 cm Net Weight: 45 kg Gross Weight: 50 kg	Total F	Position	20: 853,27 €
	L33-0	21.	06TA	549,98	1	549,98
			TABLE WITH REAR SPLASHBACK 6 aisi 304 stainless steel top 54 mm h w sound deadening waterproof panel und splashback, integral with the worktop its sturdy structure of the work table guarakg/mq max (uniformly distributed). Dimensions: 60x70x90 cm Packing: 64x72x23 cm	vith satin finis derneath. wo self, 8,5 cm	rktop ve high. th	rsion with rear ne exceptionally
			Net Weight: 15 kg Gross Weight: 16 kg			
	L33-0	21.	O6RF UNDERSHELF 60 CM 18-10 stainless steel sheet undershelf omega.180 mm clearance between floor a		nish. it i	95,23 s reinforced by
			Dimensions: 44,2x58,2x5 cm Packing: 52x63x6 cm Net Weight: 4 kg Gross Weight: 5 kg			





Area	Positi	ion Net Price Quantity Amount €
L33-(021.1	14L16DL 930,04 1 930,04 OPEN SINK 1 BOWL CM 60X50X32.5H RIGHT DRAINER 18-10 stainless steel radiused and pressed top with satin finish and rear splashback pressed bowl with a continuous weld bead to form a waterlight seal. 18-10 stainless steel cabinet with sink cover panel and 18-10 stainless steel tubular legs. 50 mm Ø. pre-arranged for dishwasher. Dimensions: 140x70x90 cm Packing: 79x145x49 cm Net Weight: 28 kg
L33-(O 2 1.2	DFCEG1 416,23 1 416,23 Spraygun with mixer tap, leverage 220, spout 225 spraygun, one-hole, with mixer tap, leverage 220, spout 225 Dimensions: 37x50x108 cm Packing: 40x55x110 cm Net Weight: 8 kg Gross Weight: 9 kg
L33-0	021.3	CEG 194,74 1 194,74 HOT/COLD WATER MIXER TAP ELBOW OPERATED elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks. Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg
L33-(021.4	UNDERSHELF 80 CM 18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf. Dimensions: 64,2x58,2x5 cm Packing: 72x63x6 cm Net Weight: 8 kg Gross Weight: 10 kg Total Position 21: 2.303,92 €





Area L33-02 02 - DISHWASH

Area Position Net Price Quantity Amount €

L33-0**2**5. **KSV325P**

79,18 1 79,18



WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 32,5 cm sink drainage kit including stainless steel overflow pipe, chromium-plated brass drain and plastic siphon. suitable for 32.5 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 25: 79,18 €

Total Area 02 - DISHWASH: 8.983,72 €





Area L33-03 03 - GRIGLIATI

Area Position **Net Price Quantity Amount €** 450,47

L33-0**2**5. VO3030 450,47



GRATE FLOOR DRAIN 30X30, HORIZ. OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h. removable stainless steel filter for all models.

Dimensions: 34,5x34,5x16 cm Packing: 36,5x36,5x18 cm

Net Weight: 6 kg Gross Weight: 6,3 kg

Total Position 25: 450,47 €

Total Area 03 - GRIGLIATI: 450,47 €





Area L34-01 01 - TERRACE PANTRY Area Position **Net Price** Quantity Amount € 3.796,36 L34-0**1**. 3.796,36 5DBA REFRIGERATED COUNTER -2°C ÷ +10°C DEPTH 70 CM WORKTOP refrigerated counter with internal and external one-piece structure made of aisi 304 stainless steel. outside finned evaporator and motor fan. automatic electric defrosting, automatic condensation evaporation. control panel with electronic circuit board, haccp alarms signaling. worktop made in aisi 304 stainless steel with rear splashback. 3 doors. energy class: a. Dimensions: 185x70x98,5 cm Electric Power: 0,37 kW Packing: 192x76x100 cm Net Weight: 138 kg Gross Weight: 150 kg **Total Position 1: 3.796,36 €** L34-02. 929,83 MD180404 929,83 WALL SHELF DOUBLE TIER Total Position 2: 929,83 € L34-03. **10TA** 585,29 TABLE WITH REAR SPLASHBACK 100 CM aisi 304 stainless steel top 54 mm h with satin finish 12/10 mm thickness. sound deadening waterproof panel underneath. worktop version with rear splashback, integral with the worktop itself, 8,5 cm high, the exceptionally sturdy structure of the work table guarantees suitability for loads up to 150 kg/mq max (uniformly distributed). Dimensions: 100x70x90 cm Packing: 104x72x23 cm Net Weight: 18 kg Gross Weight: 20 kg L34-03.0 127,33 127,33 10RF UNDERSHELF 100 CM 18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf. Dimensions: 84,2x58,2x5 cm Packing: 92x63x6 cm

Net Weight: 7 kg Gross Weight: 8 kg

Total Position 3: 712,62 €





Area L34-01 01 - TER		PANTF Positi		Net Price	Quantity	Amount €
	Alcu	1 0310	011	NOT THOS	quantity	Amount
	L34-0	04.	MD180404	929,83	1	929,83
			WALL SHELF DOUBLE TIER			
				Total	Position	4: 929,83 €
	L34-() f i	5K00151	230,03		230,03
	L34-(J 3 .	MOBILE REFUSE BIN WITH PEDAL 50		'	230,03
			Dimensions: 39,5x39,5x62 cm Packing: 42,5x42,5x66,5 cm Net Weight: 9 kg Gross Weight: 10 kg			5: 230,03 €
	L34-0	06.1	07L15	694,43		694,43
			OPEN SINK 1 BOWL CM 50X50X25H aisi304 stainless steel radiused, presses splashback, pressed bowl with a continuous open cupboard with front cover panel and aimm ø. Dimensions: 70x70x90 cm	weld bead	o form a v	vaterlight seal.
u			Packing: 48x85,5x77 cm Net Weight: 21 kg Gross Weight: 22 kg			
•	L34-(06.2	CEG HOT/COLD WATER MIXER TAP ELBC elbow operated mixer tap with long-lever electric neck suitable for sinks.	_		195,22 ng extendable
			Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg			





Area L34-01 01 - TEF	RRACE PAN	TRY		
	Area Pos	ition	Net Price	Quantity Amount €
	L34-06.3	07RF	105,29	1 105,29
		UNDERSHELF 70 CM		
	104004	KOVOED	04.00	
	L34-0 6 .4		81,32	1 81,32
		WASTE TRAP OVERFLOW PIPE KI sink drainage kit including stainless steel drainand plastic siphon. suitable for 25 cr	overflow pip	
		Dimensions: 0x0x0 cm		
		Packing: 40x30x15 cm Net Weight: 1 kg		
		Gross Weight: 2 kg	Total F	Position 6: 1.076,26 €
	L34-0 0 7.	EX70L	2.065,10	1 2.065,10
		REFRIGERATOR -2°C ÷ +8°C GN 2, refrigerator with internal and external of stainless steel, storage chamber equipostainless steel, 20 levels, ventilated coinside the refrigerating chamber, conthermostat, electric defrosting, each comm. 3 pairs of aisi 304 stainless steel guide	one-piece stroped with shooling system trol panel wartment is de	elf supports in aisi 304 , evaporator positioned rith digital thermometer- elivered as standard with:
		Dimensions: 75x83,5x204 cm Elec	tric Power: 0,43	3 kW

Dimensions: 75x83,5x204 cm

Packing: 79x85,5x216 cm Net Weight: 113 kg Gross Weight: 128 kg

Total Position 07: 2.065,10 €

Total Area 01 - TERRACE PANTRY: 9.740,03 €





Area L34-02 02 - DISH WASH Area Position **Net Price** Quantity Amount € 14L16S 1.031,48 1.031,48 L34-0**2**5. OPEN SINK 1 BOWL CM 60X50X32.5H LEFT DRAINER aisi304 stainless steel radiused, pressed top with satin finish and rear splashback, pressed bowl with a continuous weld bead to form a waterlight seal. open cupboard with front cover panel and aisi304 stainless steel tubular legs, 50 mm ø. Dimensions: 140x70x90 cm Packing: 49x145x78 cm Net Weight: 33 kg Gross Weight: 34 kg L34-025.0 **CEG** 195,22 195,22 HOT/COLD WATER MIXER TAP ELBOW OPERATED elbow operated mixer tap with long-lever elbow con trol and long extendable neck.suitable for sinks. Dimensions: 0x0x0 cm Packing: 40x20x8 cm Net Weight: 2 kg Gross Weight: 3 kg L34-025.1 148,06 148,06 14RF **UNDERSHELF 140 CM** 18-10 stainless steel sheet undershelf with satin finish. it is reinforced by omega. 180 mm clearance between floor and shelf. Dimensions: 124,2x58,2x5 cm Packing: 70x140x5 cm Net Weight: 8 kg Gross Weight: 10 kg L34-0**2**5.2 **KSV325P** 79,18 79,18 WASTE TRAP OVERFLOW PIPE KIT FOR BOWLS h 32,5 cm sink drainage kit including stainless steel overflow pipe, chromium-plated brass drain and plastic siphon. suitable for 32.5 cm, h bowls.

Dimensions: 0x0x0 cm Packing: 40x30x15 cm Net Weight: 1 kg Gross Weight: 2 kg

Total Position 15: 1.453,94 €





Area L34-02 02 - DISH WASH

Area Position

Net Price

Quantity Amount €

L34-0**2**6.

5K00151

230,03

230,03



MOBILE REFUSE BIN WITH PEDAL 50 LITERS

Dimensions: 39,5x39,5x62 cm Packing: 42,5x42,5x66,5 cm

Net Weight: 9 kg Gross Weight: 10 kg

Total Position 16: 230,03 €

L34-028.

KE70A

4.121,64

4.121,64



FRONTLOADING ELECTRONIC DISHWASHER 60 BASKETS/HOUR

double skin front-loading dishwasher with atmospheric boiler and break-tank device. productivity: 60 baskets/h. 8 washing programs that can be personalized (among those, sanitization/medical). standard supplied drain pump, detergent and rinse-aid dispenser and bluewater water cleaning device. integrated continuous softener. included: basket, basket for plates and insert for cutlery.

Dimensions: 60x60x82 cm Packing: 69x67x98 cm Net Weight: 55 kg

Gross Weight: 63 kg

Electric Power: 5,4 kW

L34-029.

LSF5618

511,74

Total Position 18: 4.121,64 € 511,74



POLYPROPYLENE SHELF 4 TIERS INOX STANDS h180

modular sheving unit, formed by a tubolar 18/10 stainless steel holding structure and perforated polypropylene modular shlves (for normal loads). the shelves are easy to wash even in the dishwasher, the shelving unit equipped with feet, can be finished with various accessories, structures for hanging items, inox, basins,

Dimensions: 70x50x180 cm Packing: 0x0x0 cm

Net Weight: 21 kg Gross Weight: 24 kg

Total Position 19: 511,74 €

Total Area 02 - DISH WASH: 6.317,35 €





Area L34-03 03 - BAR

Area Position **Net Price** Quantity Amount € 1.323,59 1.323,59

L34-027.0 **KRYO_65_OD**

KRYO 65 OD

kryo 65 od (on demand) is fitted with high-capacity 64 mm-diameter mills, ensuring production of 3.5 g/second. grinding is instant, and takes place directly in the filter holder, ensuring a fresh, correctly dosed product. the ergonomic design and quality of the material provide excellent stability even in situations of intense use. grinding speed, precise dosing, and a clear, intuitive user interface make kryo 65 od the ideal grinder-doser for high-quality espresso-based beverages.

Dimensions: 8,7x15,1x22,6 cm

Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

Total Position 27: 1.323,59 €

2.224,53

L34-028.0 CLASSE_5_USB 7.259,95 7.259,95

CLASSE_5_USB_TALL

3gr: 2 filter-holder for two coffees and 1 filter-holder for one coffee / 2gr: 1 filterholder for two coffees and 1 filter-holder for one coffee, 2 steam wands, 1 hot water dispenser, cleaning discs, adjustable feet

Dimensions: 77x54x52 cm Packing: 0x0x0 cm Net Weight: nd kg Gross Weight: nd kg

Electric Power: 6 kW

2.224,53

Electric Power: 0,45 kW

Total Position 28: 7.259,95 € L34-0**3**4. PCC45A

ICE MAKER - FULL CUBES KG 42/24H

front, top and sides in stainless steel, inside in antimicrobial thermoformed plastic. cube dimensions: mm 30x20x30h, 20 grm container capacity: 20 kg refrigerant type: r134a. air cooled. built-in washing system and double-defrost system (water and hot gas). easily removable air filter

Dimensions: 48.5x57.5x90.5 cm

Packing: 55x64x94 cm Net Weight: 48 kg Gross Weight: 57 kg

Electric Power: 0.58 kW

425,54

Electric Power: 0.5 kW

L34-0**3**6. DRAGVV

Blender capacity 1,5 lt

blender with a white or chrome body, no edges or seams for easy cleaning, powerful ventilated motor, transparent, unbreakable 1,5 lt lexan container is dishwasher safe and graduated with litres and uk/usa gallons, tight rubber lid with feed opening to add ingredients while the blender is working, safety microswitch on the lid

Dimensions: 20x21x42 cm Packing: 30x31x53 cm

Net Weight: 2,7 kg Gross Weight: 4 kg

Total Position 36: 425,54 €

Total Position 34: 2.224,53 €

425,54

The products of this offer conform to the reference standards, where applicable. 51577 18/07/2018 Offer date 18/07/2018





Area L34-03 03 - BAR

Area Position **Net Price** Quantity Amount €

APOLLOVV L34-0**3**8.

569,21

569,21



Electric citrus juicer with lever

commercial easy to use citrus juicer with chrome body, no edges or seams for easy cleaning, stainless steel bowl is removable for cleaning and is dishwasher safe, reamer and sieve are one piece to squeeze with the maximum efficiency, patented safety microswitch on the cone allows to activate the juicer when the product is pushed down, aluminium stainless steel lever.

Dimensions: 27x21x16 cm Packing: 28x22x37 cm Net Weight: 3,5 kg

Electric Power: 0,2 kW

Total Position 38: 569,21 €

L34-0**3**9.

J80ULTRA

Gross Weight: 5 kg

2.191,31

2.191,31



EL. AUTOMATIC JUICERS, PRODUCTION CAPACITY 120L/H

"automatic juicers.patented automatic feed tube with a diameter of 79 mm for continuous throughput and hassle-free juicing.heavy duty operation all day long.pulp ejected into a 6,5 litre large capacity container with translucent sides to monitor pulp levels.drip tray.the powerful heavy duty motor operates at a speed of 3.000 rpm for a production of up to 120 l/h. useful height under the

Dimensions: 23,5x42x50,5 cm

Electric Power: 0.7 kW

Packing: 0x0x0 cm Net Weight: 10,9 kg Gross Weight: 12,8 kg

Total Position 39: 2.191,31 €

Total Area 03 - BAR: 13.994,13 €





Area L34-04 04 - GRIDS

 Area Position
 Net Price
 Quantity Amount €

 L34-045.
 VO3030
 450,47
 2
 900,94



GRATE FLOOR DRAIN 30X30, HORIZ. OUTLET

floor drain constructed throughout in 18-10 aisi 304 stainless steel, thickness 8/10. watertight basin with siphon drain outlet 80 mm in diameter. removable floor grating 18-10 aisi 304 stainless steel at least 2 mm thick; grid size 25x25x30h. removable stainless steel filter for all models.

Dimensions: 34,5x34,5x16 cm Packing: 36,5x36,5x18 cm

Net Weight: 6 kg Gross Weight: 6,3 kg

Total Position 45: 900,94 €
Total Area 04 - GRIDS: 900,94 €







	Electric power	Gas power	
Summary	kW	kW	€
L31-01 01 deboxing area	0,19	0,00	17.624,59
L31-02 02 - janitor	0,00	0,00	891,31
L31-03 03 - storages	3,00	0,00	48.315,25
L31-04 04 - veg. preparation	1,06	0,00	13.002,93
L31-05 05 - meat/fish preparation	3,94	0,00	32.187,20
L31-06 06 - bakery - pasrty	12,00	18,00	54.010,06
L31-07 07 - WARM KITHEN 01	28,17	71,00	83.468,87
L31-08 08 - WARM KITHEN 02	2,25	22,00	17.972,96
L31-09 09 - COLD KITCEN	2,17	0,00	16.829,93
L31-10 10 - POT WASH	0,00	0,00	4.263,33
L31-11 11 - BEVERAGE SECTION	12,35	0,00	28.407,05
L31-12 12 - GRILL SECTION	0,79	0,00	10.079,47
L31-13 13 - DESSERT SECTION	3,52	0,00	26.703,96
L31-14 14 - DISH WASH	10,20	0,00	25.455,88
L32-01 01 - GRILL AREA	26,27	29,00	42.312,00
L32-02 02 - BAR	12,12	0,00	26.270,34
L32-03 03 - DISHWASH	14,10	0,00	16.618,58
L32-04 04 - BANQUET PANTRY	10,13	0,00	17.912,31
L32-05 05 - DISHWASH PANTRY	5,40	0,00	8.535,45
L32-06 06 - GRIDS	0,00	0,00	4.289,63
L33-01 01 - PANTRY	0,49	0,00	8.625,38
L33-02 02 - DISHWASH	5,40	0,00	8.983,72
L33-03 03 - GRIGLIATI	0,00	0,00	450,47
L34-01 01 - TERRACE PANTRY	0,80	0,00	9.740,03
L34-02 02 - DISH WASH	5,40	0,00	6.317,35
L34-03 03 - BAR	8,43	0,00	13.994,13
L34-04 04 - GRIDS	0,00	0,00	900,94
	168,18	140,00	

Total: 544.163,12 €





Supply conditions

Prices Validity 10/08/2018

Total Amount: 544.163,12 Euro Discount 40%: 217.665,25 Euro

Total Net Amount Ex Work Italy: 326.497,87 Euro

Included:
Kitchen design
Technical drawings
Kitchen equipment Installation
Warranty 1 year
Personal Traning and start up

Excluded:
Transport
Custom Clearance
VAT
Container discharging and warehousing
Ventillation systems insallation
Water supplying and drenage system installatioin Pipes and electrical wiring